Home Comfort Certification System®







The Best Heating & Cooling

Anywhere USA City, ST 00000-0000 000-000-0000



The areas leading comfort experts for all your heating and Air Conditioning needs

Price Book Set Up Instructions

BSI's American Standard Home Comfort Flat Rate Installation Price Book is designed to help our American Standard Dealers outperform the competition with a "customized-to-your-business" replacement installation "Upfront" consumer pricing guide.

We designed the price book to be used by both *Comfort Advisors* on a replacement sales call or for the *Selling Technicians* on a service call where they have identified a replacement opportunity.

Formatted for Easy Upselling:

The proven price book format has proven to help you to easily upsell via the "good-better-best-premium" system consumer installation pricing options.

Easy 1-Page Price Book Set-up:

Located on this web page, as well as, at end of this demo price book you will find the 1-page Setup/Order Form. On this Form you provide us your unique labor costs, gross profit margin, finance rates, and your local utility rates.

Set-up of Installation Cost-of-Goods-Sold:

You provide us your preferred equipment vendor pricing from your vendor which we import your actual costs for equipment, materials, and warranties by system type and size.

We multiply by your provided labor cost rates by the "built-in" installation labor hours for a Crew Chief and Helper to arrive at your *Total Installation Labor Cost*. You may modify the "built-in" labor hours for any system configuration by faxing us your changes via marked up *User Guide* pages also located on this www.GrowMyHVAC.com page.

Your Unique Installed Sell Price:

Your unique Installed Sell Price will be based on your provided gross profit margin rate.

Finance and Energy Savings Tables:

We provide finance and energy savings tables to help the Comfort Advisor to show consumer affordability of a system installation. We create your finance tables using your unique local finance options and national *Home Equity Rates*, *Personal Bank Loan Rates*. We create your energy savings tables using your provided local area utility rates.

Customizing Configurations:

If your configuration are different from or is missing any system type versus this demo price book, we provide three easy ways for you to quickly communicate your unique price book configuration requirements:

- 1. For minor modifications, simply print the demo book price pages and mark them up with your equipment component match-ups and desired warranty offering and fax them back to us.
- For extensive modifications, we can send you an Excel spreadsheet as an email attachment that you email back to us with your unique equipment configuration component match-ups.
- 3. Or you can simply set up with us a telephone or on-line GoToMeeting workout session to assist in expediting setting up of your price book.

Configuration Options:

This price book may be modified to include any or all of these common residential HVAC replacement configurations:

- Split System Gas Heat
- Split System Electric Heat
- Split System Cooling Only
- Split Heat Pump
- Split Dual Fuel Heat Pump
- Geothermal Heat Pump
- Packaged Gas Heat
- Packaged Heat Pump
- Packaged Dual Fuel
- Furnace Only Gas/Oil/Propane
- Boiler Gas/Oil/Propane
- System Enhancements/Accessories

Prices Shown are Illustrative Only

- This "demo" price book was designed for demonstration purposes only.
- The pricing shown is for a fictitious contractor and climate zone, and is not meant to be representative to local area pricing.
- Your pricing will be accurate to your business based on your unique local area labor costs, unique overhead and net profit set-up requirements, local financing options, and your energy savings tables according to your climate zone.

Questions?

Call our Price Book Hot Line at 800-240-2823 24/7 or email us at customercare@GrowMyHVAC.com.

IMPORTANT NOTICE: Please read the following Fix-Right and or the Home Comfort Flat Rate Price Book User License Agreement ("Agreement") carefully. Your use of the product signifies your acceptance of this Agreement. If you do not agree with the terms of this Agreement, you should promptly remove all electronic copies and/or destroy all hard copies of this Price Book. Retain this User Agreement for future reference.

Article 1: License Grant

- 1) The Fix-Right Flat Rate Price Book and or the Home Comfort Flat Rate Price Book ("Price Book") and the pricing process which it contains is the intellectual property of Building Services Institute, Inc. ("BSI") and its licensors, and is protected by law, including United States copyright laws and international treaties. BSI grants you a license:
 - a) To use the Price Book within your business entity.
 - b) To make a single archival back-up copy of the Price Book in support of your use of the Price Book within your business as named on the submitted Home Comfort Flat Rate Set-up Sheet.
 - c) Except as stated above, you MAY NOT MODIFY, TRANSLATE, DISSEMINATE, OR DECOMPILE the Price Book, OR ANY COPY THEREOF, IN WHOLE OR PART. You may not engage in reverse engineering of the Price Book.

Article 2: Term

- 1) Commencing on the Effective Date, and continuing for a period of (12) months, Licensor will make available to Licensee the services and materials as hereinafter described. Licensee may terminate Agreement by submitting written termination notice to Licensor certified US Postal notice within 60 days prior to end of term. If termination notice is not received from Licensee by Licensor, this Agreement shall extend automatically for an additional 12 month period upon the anniversary date.
- 2) You agree, upon such termination for any reason, to destroy the Price Book together with all copies, modifications and merged portions in any form.
- 3) Licensor may terminate this License at any time at its sole discretion.

Article 3: Disclaimer of Warranties and Limitations of Remedies

- 1) The Price Book is provided "as-is" without any warranty of any kind, either expressed or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose. The entire risk as to the quality and performance of the Price Book is with you, its authorized user. BSI and its licensors do not warrant that the functions contained in the Price Book will meet your requirements or are error free.
- 2) BSI's and its licensors' entire liability and your exclusive remedy shall be:
 - a) The replacement of any Price Book not meeting BSI's "Limited Warranty", or
 - b) If BSI and its licensors are unable to deliver a replacement PDF file, which is free of defects in material or workmanship, you may terminate this License Agreement by destroying the Price Book and removing the Price Book from all of your computers and terminating any use of the Price Book.
- 3) YOUR EXCLUSIVE REMEDY AGAINST BSI AND ITS AFFILIATE LICENSORS' ENTIRE LIABILITY, EVEN IN THE CASE OF FUNDAMENTAL BREACH, IS LIMITED TO REPLACEMENT OR RETURN OF THE PRICE BOOK. IN NO EVENT WILL BSI OR ITS LICENSORS BE LIABLE TO YOU, THE AUTHORIZED USER, FOR ANY DAMAGES, INCLUDING ANY LOST PROFITS, LOST SAVINGS OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE SUCH PRICE BOOK EVEN IF BSI HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, OR FOR ANY CLAIM BY ANY OTHER PARTY.

Mission Statement

- Our Commitment: We are committed to providing the highest quality and performance in all aspects of the equipment replacement industry, utilizing our core strengths to insure the continued success of our employees and our customers.
- Core Services: Design, fabrication, installation and service of heating and air conditioning, indoor air quality, ventilation, electrical, temperature control and humidity controls.
- Core Strengths: Experienced leadership, excellence, trustworthiness, loyalty, and pride in our reputation for quality workmanship and teamwork, our multi-trade capabilities, knowledge and commitment to innovativeness.
- Success for Employees: Provide fair compensation, security, trust, recognition, and a good working atmosphere.
- Success for Customers: Provide quality, competitive pricing, trust, partnership, and our ability to meet their unique requirements.

Who we are:

- A premiere residentialcommercial service company.
- We have consistently grown each year due to our competitive programs and services.
- Our company has continued to invest in state-of the art technology that allows us to deliver the highest level of service with the lowest possible cost.
- Our written training and employee development programs assures the delivery of safe reliable service in and around your home.
- We have a written drug free hiring policy to protect our customers and property

What makes us different:

- We offer the industries best Install-Right® guarantees, warrantees, and assurances.
- Our field management and equipment installation procedures enables us to take care of everything and assume responsibility for everything.
- We are an unbiased independent contractor not a manufacturer sponsored dealer.
- We minimize all personal risk from doing business with us through our delivery systems and our liability coverage.
- We Guard both your time and equipment replacement investment money.

The Home Comfort Certified System 7 Step Approach



Why we set the Standards of Performance

- 90% of all installations have problems resulting in unnecessary energy inefficiencies due to:
 - Too large or too small equipment sizing
 - Improper match between condenser and evaporator
 - Improper duct sizing or distribution
 - Improper duct insulation or sealing
 - Leaking or disconnected duct work or diffusers
 - Improper system balancing
 - Improper system charging and calibration

Source: studies conducted by North Carolina Alternative Energy Corporation, Texas A&M University, Louisiana State University and BSI client customer surveys

- 40% of all installations fail to meet air flow requirements resulting in poor indoor comfort due to:
 - Improper sized equipment
 - Improper duct distribution design
 - Improper diffuser type or location
 - Leaking or disconnected ducts & diffusers
 - Improper system balancing
 - 50% of all installations are not charged properly resulting in up to 50% higher operating cost due to:
 - Improper start-up, test, and installation verification per manufactures specifications and industry best practices
 - Untrained installation personnel
 - Poor contractor installation methods

With our The Home Comfort Certified System we guarantee that you will be in the top 10% of all installations

Quality Installations by Design

Pre-installation:

- Our proven Home Use & Livability Survey data gathering techniques enable us to provide our customers with unconditional performance guarantees
- Our computer Manual J home load modeling guarantees that heating, cooling and comfort capacities will be met.
- 3. Our equipment/system selection process guarantees that both your personal and your home aesthetics requirements are met
- 4. We select the most appropriate installation implementation process that guarantees our customers the lowest possible installation costs.

Installation:

 We will assign a installation team will take care of everything, manage everything, and be totally responsible for everything.

- We specialize in working in occupied spaces and know the challenges, keep work areas clean, and actively plan our work methods to minimize any possible disruption.
- We verify and test all work completion to guarantee that all was installed to specification and to best industry standards.
- 8. Our in-depth operator training guarantees that you will maximize your investment.

Post Installation:

9. Our installations are installed per industry best practice, which has continuously proven to reduce emergency or trouble calls. However, when one does occur, you will receive our highest priority response. We respond to emergency service or trouble calls even during peak periods within four (4) hours or less of your call.



Licensed to The Best Heating & Cooling under the Grant of License terms of Home Comfort Users Agreement.

1.5 TON UPFLOW/HORIZONTAL

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- $\ensuremath{\,\boxtimes\,}$ Provides more efficient and reliable cooling
- ☑ Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- 2 Quiet and evenly distributes warm air to every room
- I Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts and 1 year labor

\$ 5,045

AMERICAN STANDARD 13 SEER 4A7B30 CONDENSING UNIT FREEDOM® 95 SINGLE-STAGE AUH FURNACE 60K BTU /4TXCB COIL 600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- 2 Quiet and evenly distributes warm air to every room
- If Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts and 1 year labor

5,685

AMERICAN STANDARD 15 SEER 4A7A50 CONDENSING UNIT FREEDOM® 95 STAGE STAGE AUH FURNACE 60K BTU /4TXCB COIL 600 FAMILY 8/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- 2-stage cooling/heating runs at an energy-saving 70% capacity
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- ☑ Comfort-R™ keeps you cooler by reducing indoor jumidity.
- Heavy steel insulated cabinet folds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor
- Minimum size this model is 24,000

\$ 7,307

ALLEGIANCE® 16 SEER 2-STAGE 4A7A60 CONDENSING UNIT FREEDOM® 55 SINGLE-STAGE AUH FURNACE 60K BTU /4TXCB COIL 800 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









System Benefits

- Helps save you up to 60% on your energy bills
- Provides more efficient and reliable cooling
- Rust-resistant protection from the element
- ☑ Modulating heating runs at an energy-saving 50% capacity*
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts 12 year compressor and 10 year labor
- Minimum size this model is 24,000

\$ 10,816

ALLEGIANCE® 20 SEER 4A7Z00 CONDENSING UNIT
FREEDOM® 95 COMFORT-R™ MODULATING AUH FURNACE 80K BTU /4TXCB COIL
800 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









Base Installation Price Includes

- Mew equipment mounting pad
- Set and level unit
- ☑ New refrigerant line set
- ☑ New condensate line
- ☑ New electrical disconnect
- ☑ New power wire equip, to disconnect
- New digital thermostat

9

- ☑ New supply/return plenum transitions
- Equipment start up and safety inspection



2 TON UPFLOW/HORIZONTAL

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- ☑ Provides more efficient and reliable cooling
- ☑ Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts and 1 year labor

\$ 5,292

AMERICAN STANDARD 13 SEER 4A7B30 CONDENSING UNIT FREEDOM® 95 SINGLE-STAGE AUH FURNACE 60K BTU /4TXCB COIL 600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- ☑ Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts and 1 year labor

5,936

AMERICAN STANDARD 15 SEER 4A7A50 CONDENSING UNIT FREEDOM® 95 SINGLE-STAGE AUA FURNACE 80K BTU /4TXCB COIL 600 FAMILY 52 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- 2-stage cooling/heating runs at an energy-saving 70% capacity
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every from
- ☑ Comfort-R™ keeps you cooler by reducing indoor humidity.
- ☑ Heavy steel insulated cabinet holds more heat in the furnace
 ☑ 10 Year parts 12 year compressor and 10 year labor.

\$ 7,307

ALLEGIANCE® 16 SEER 2-STAGE 4A7A60 CONDENSING UNIT FREEDOM® 95 SINGLE-STAGE AUH FURNACE 60K BTU /4TXCB COIL 800 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









System Benefits

- ☑ Helps save you up to 60% on your energy pills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Modulating heating runs at an energy-saving 50% capacity*
- ☑ Reduces greenhouse gas emissions
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor

\$ 10,816

ALLEGIANCE® 20 SEER 4A7Z00 CONDENSING UNIT
FREEDOM® 95 COMFORT-R™ MODULATING AUH FURNACE 80K BTU /4TXCB COIL
800 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









Base Installation Price Includes

- New equipment mounting pad
- ☑ Set and level unit
- ☑ New refrigerant line set
- ☑ New condensate line
- ☑ New electrical disconnect
 ☑ New power wire equip, to disconnect
- ☑ New digital thermostat
- ☑ New supply/return plenum transitions
- ☑ Equipment start up and safety inspection



2.5 TON UPFLOW/HORIZONTAL

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- ☑ Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- 2 Quiet and evenly distributes warm air to every room
- E Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts and 1 year labor

5,406

AMERICAN STANDARD 13 SEER 4A7B30 CONDENSING UNIT FREEDOM® 95 SINGLE-STAGE AUH FURNACE 80K BTU /4TXCB COIL 600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- 2 Quiet and evenly distributes warm air to every room
- El Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts and 1 year labor

8,074

AMERICAN STANDARD 15 SEER 4A7A50 CONDENSING UNIT FREEDOM® 95 SINGLE STAGE AUH FURNACE 80K BTU /4TXCB COIL 600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- 2-stage cooling/heating runs at an energy-saying 70% capacity
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- ☑ Comfort-R™ keeps you cooler by reducing indoor jumidity.
- Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts 12 year compressor and 10 year labo Minimum size this model is 36,000

\$ 7,649

ALLEGIANCE® 16 SEER 2-STAGE 4A7A60 CONDENSING UNIT FREEDOMIN 95 SINGLE-STAGE AUH FURNACE 80K BTU /4TXCB COIL 800 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









System Benefits

- Helps save you up to 60% on your energy bills
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- Modulating heating runs at an energy-saving 50% capacity*
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- E Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts 12 year compressor and 10 year labor
- Minimum size this model is 36,000

\$ 11,396

ALLEGIANCE® 20 SEER 4A7Z00 CONDENSING UNIT FREEDOM® 95 COMFORT-R™ MODULATING AUH FURNACE 100K BTU /4TXCB COIL 800 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









Base Installation Price Includes

- Mew equipment mounting pad
- ☑ Set and level unit
- M New refrigerant line set
- ☑ New condensate line
- M New electrical disconnect
- ☑ New power wire equip, to disconnect
- M New digital thermostat

11

- New supply/return plenum transitions
- Equipment start up and safety inspection



3 TON UPFLOW/HORIZONTAL

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- ☑ Provides more efficient and reliable cooling
- ☑ Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts and 1 year labor

\$ 8,025

AMERICAN STANDARD 13 SEER 4A7B30 CONDENSING UNIT FREEDOM® 95 SINGLE-STAGE AUH FURNACE 80K BTU /4TXCB COIL 600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- ☑ Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts and 1 year labor

8,459

AMERICAN STANDARD 15 SEER 4A7A50 CONDENSING UNIT FREEDOM® 95 SINGLE-STAGE AUA FURNACE 80K BTU /4TXCB COIL 600 FAMILY 52 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- ☑ Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- 2-stage cooling/heating runs at an energy-saving 70% capacity
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every com
- ☑ Comfort-R™ keeps you cooler by reducing indoor humidity
- Heavy steel insulated cabinet holds more neat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor

\$ 7.649

ALLEGIANCE® 16 SEER 2-STAGE 4A7A60 CONDENSING UNIT FREEDOM® 95 SINGLE-STAGE AUH FURNACE 80K BTU /4TXCB COIL 800 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









System Benefits

- ☑ Helps save you up to 60% on your energy pills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Modulating heating runs at an energy-saving 50% capacity*
- ☑ Reduces greenhouse gas emissions
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor

\$ 11,396

ALLEGIANCE® 20 SEER 4A7Z00 CONDENSING UNIT
FREEDOM® 95 COMFORT-R™ MODULATING AUH FURNACE 80K BTU /4TXCB COIL
800 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









Base Installation Price Includes

- New equipment mounting pad
- ☑ Set and level unit
- ☑ New refrigerant line set
- ☑ New condensate line
- ☑ New electrical disconnect
 ☑ New power wire equip, to disconnect
- ☑ New digital thermostat
- ☑ New supply/return plenum transitions
- ☑ Equipment start up and safety inspection



3.5 TON UPFLOW/HORIZONTAL

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- ☑ Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- 2 Quiet and evenly distributes warm air to every room
- 3 Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts and 1 year labor

\$ 8,388

AMERICAN STANDARD 13 SEER 4A7B30 CONDENSING UNIT FREEDOM® 95 SINGLE-STAGE AUH FURNACE 100K BTU /4TXCB COIL 600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- 2 Quiet and evenly distributes warm air to every room
- If Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts and 1 year labor

\$ 8,970

AMERICAN STANDARD 15 SEER 447450 CONDENSING UNIT FREEDOM® 95 SINGLE STACE AUH FURNACE 100K BTU /4TXCB COIL 600 FAMILY 302 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- 2-stage cooling/heating runs at an energy-saving 70% capacity
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- ☑ Comfort-R™ keeps you couler by reducing indoor humidity.
- ☑ Heavy steel insulates cabinet bolds more heat in the furnace
 ☑ 10 Year parts 12 year compressor and 10 year labor.
 ☐ 10 Year parts 12 year compressor and 10 year labor.
 ☐ 10 Year parts 12 year compressor and 10 year labor.
 ☐ 10 Year parts 12 year compressor and 10 year labor.
 ☐ 10 Year parts 12 year compressor and 10 year labor.
 ☐ 10 Year parts 12 year compressor and 10 year labor.
 ☐ 10 Year parts 12 year compressor and 10 year labor.
 ☐ 10 Year parts 12 year compressor and 10 year labor.
 ☐ 10 Year parts 12 year compressor and 10 year labor.
 ☐ 10 Year parts 12 year compressor and 10 year labor.
 ☐ 10 Year parts 12 year compressor and 10 year labor.
 ☐ 10 Year parts 12 year compressor and 10 year labor.
 ☐ 10 Year parts 12 year compressor and 10 year labor.
 ☐ 10 Year parts 12 year compressor and 10 year labor.
 ☐ 10 Year parts 12 year labor.
 ☐ 10 Year
- Minimum size this model is 48,000

\$ 8,699

ALLEGIANCE® 16 SEER 2-STAGE 4A7A60 CONDENSING UNIT FREEDOM® 95 SINGLE-STAGE AUH FURNACE 100K BTU /4TXCB COIL 800 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









System Benefits

- Helps save you up to 60% on your energy bills
- Provides more efficient and reliable cooling
- Rust-resistant protection from the element
- ☑ Modulating heating runs at an energy-saving 50% capacity*
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts 12 year compressor and 10 year labor
- Minimum size this model is 48,000

\$ 12,466

ALLEGIANCE® 20 SEER 4A7Z00 CONDENSING UNIT
FREEDOM® 95 COMFORT-R™ MODULATING AUH FURNACE 100K BTU /4TXCB COIL
800 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









Base Installation Price Includes

- Mew equipment mounting pad
- Set and level unit
- ☑ New refrigerant line set
- ☑ New condensate line
- ☑ New electrical disconnect
- M New power wire equip to disconnect
- ☑ New digital thermostat

13

- ☑ New supply/return plenum transitions
- Equipment start up and safety inspection



4 TON UPFLOW/HORIZONTAL

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- ☑ Provides more efficient and reliable cooling
- ☑ Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts and 1 year labor

\$ 8,547

AMERICAN STANDARD 13 SEER 4A7B30 CONDENSING UNIT FREEDOM® 95 SINGLE-STAGE AUH FURNACE 100K BTU /4TXCB COIL 600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- ☑ Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts and 1 year labor

9,427

AMERICAN STANDARD 15 SEER 447450 CONDENSING UNIT FREEDOMS 95 SINGLE-STAGE AUH FURNACE 100K BTU /4TXCB COIL 600 FAMILY 32 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- 2-stage cooling/heating runs at an energy-saving 70% capacity
- ☑ Reduces greenhouse gas emissions*
- ☑ Quiet and evenly distributes warm air to every foom
- ☑ Comfort-R™ keeps you cooler by reducing indoor humidity
- Heavy steel insulated cabinet holds more neat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor

\$ 8,699

ALLEGIANCE® 16 SEER 2-STAGE 4A7A60 CONDENSING UNIT FREEDOM® 95 SINGLE-STAGE AUH FURNACE 100K BTU /4TXCB COIL 800 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









System Benefits

- ☑ Helps save you up to 60% on your energy pills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Modulating heating runs at an energy-saying 50% capacity*
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor

\$ 12,466

ALLEGIANCE® 20 SEER 4A7Z00 CONDENSING UNIT
FREEDOM® 95 COMFORT-R™ MODULATING AUH FURNACE 100K BTU /4TXCB COIL
800 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









Base Installation Price Includes

- New equipment mounting pad
- ☑ Set and level unit
- ☑ New refrigerant line set
- ☑ New condensate line
- ☑ New electrical disconnect
 ☑ New power wire equip, to disconnect
- ☑ New digital thermostat
- ☑ New supply/return plenum transitions
- ☑ Equipment start up and safety inspection



5 TON UPFLOW/HORIZONTAL

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- ☑ Provides more efficient and reliable cooling
- ☑ Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts and 1 year labor

\$ 7,361

AMERICAN STANDARD 13 SEER 4A7B30 CONDENSING UNIT FREEDOM® 95 SINGLE-STAGE AUH FURNACE 120K BTU /4TXCB COIL 600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- ☑ Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts and 1 year labor

\$ 8,206

AMERICAN STANDARD 15 SEER 447450 CONDENSING UNIT FREEDOM® 95 SINGLE-STAGE AUH FURNACE 120K BTU /4TXCB COIL 600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- 2-stage cooling/heating runs at an energy-saying 70% capacity
- ☑ Reduces greenhouse gas emissions*
- ☑ Quiet and evenly distributes warm air to every com
- ☑ Comfort-R™ keeps you cooler by reducing indoor burnidity.
- Heavy steel insulated cabinet holds more heat in the firmace
- ☑ 10 Year parts 12 year compressor and 10 year labor

\$ 10,094

ALLEGIANCE® 16 SEER 2-STAGE 4A7A60 CONDENSING UNIT FREEDOM® 95 SINGLE-STAGE AUH FURNACE 120K BTU /4TXCB COIL 800 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









System Benefits

- ☑ Helps save you up to 60% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Modulating heating runs at an energy-saving 50% capacity*
- ☑ Reduces greenhouse gas emissions
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor

\$ 13,607

ALLEGIANCE® 20 SEER 4A7Z00 CONDENSING UNIT
FREEDOM® 95 COMFORT-R™ MODULATING AUH FURNACE 120K BTU /4TXCB COIL
800 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









Base Installation Price Includes

- New equipment mounting pad
- ☑ Set and level unit
- ☑ New refrigerant line set
- ☑ New condensate line
 ☑ New electrical disconnect
- ☑ New power wire equip, to disconnect
- ☑ New digital thermostat
- ☑ New supply/return plenum transitions
- ☑ Equipment start up and safety inspection



SPLIT COOLING ADD-ON - REPLACEMENT

AMERICAN STANDARD 13 SEER 4A7B30 CONDENSING UNIT 4TXCB COIL/600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL

System Benefits

- ☑ Helps save you up to 35% on your energy bills*
- ☑ Tranquility of quiet operation via air top discharge
- Simple low cost easy system maintenance access
- ☑ Efficient performance maximizes savings & comfort
- ☑ Guaranteed worry-free operation and dependability
- ☑ Eco-friendly color and ozone protection 410A refrigerant
- 10 Year parts and 1 year labor

1.5	S	1,933	\$ 2,838
2	\$	2,026	\$ 2,939
2.5	5	2,153	\$ 3,158
3	\$	2,452	\$ 3,497
3.5	\$	2,692	\$ 3,897
4	\$	2,828	\$ 4,104
5	5	3,319	\$ 4,755



System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- On-board diagnostics to help prevent harmful conditions
- Thermostat alerts you to any service requirements
- ☑ High endurance and performance Scroll® Compressor
- System adjusts airflow to help control humidity
- ☑ Eco-friendly color and ozone protection 410A refrigerant
- 10 Year parts and 1 year labor

AMERICAN STANDARD 14 SEER 4A7B40 CONDENSING UNIT 4TXCB COIL/600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL

Γ	3	s	2,885	S	3,930
r	3.5	\$	3,274	5	4,479
Г	4	5	0,690	\$	4,965
Г	5	5/	4,022	5	5,459
-			-	-	







System Benefits

- ☑ Helps save you up to 50% on your energy bills*
- ☑ On-board diagnostics to help prevent harmful conditions
- Thermostat alerts you to any service requirements
- ☑ High endurance and performance Scrolly Compressor
- System adjusts airflow to help control humiday
- ☑ Eco-friendly color and ozone protection 410A refrigerent
- 10 Year parts 12 year compressor and 10 year labo

ALLEGIANCE 16 SEER 2-STAGE 44746 CONDENSING UNIT

2	5	4.012	5	4,925
3	5	4,700	\$	5,744
1	3	5,188	s	6.464
5	\$	5,674	_	6,988







System Benefits

- ☑ Helps save you up to 56% on your energy bills*
- ☑ On-board diagnostics to help prevent harmful conditions
- Thermostat alerts you to any service requirements
- ☑ High endurance and performance Scro®® Compressor
- ☑ System adjusts airflow to help control humidity
 ☑ Eco-friendly color and ozone protection 410A refrigerant
- ☑ 10 Year parts 12 year compressor and 10 year labor

ALLEGIANCE® 20 SEER 2-STAGE 4A784 CONDENSING UNIT 4TXCB COIL/800 FAMILY 7 DAY TOUCH SCREEN COMFORT CONTROL

2	\$	5,571	\$	6,484
3	\$	5,645	\$	6,777
4	s	6,551	s	7,827
5	S	7,293	S	8,729





Base Installation Price Includes

- ☑ New equipment mounting pad
- Set and level unit
- ☑ New refrigerant line set.
- ☑ New condensate line
- ☑ New electrical disconnect
- ☑ New power wire equipment to disconnect
- ☑ New digital thermostat
- ☑ New supply/return plenum transitions
- Equipment start up and safety inspection



*Potential energy savings may vary depending on your lifestyle, system settings, equipment maintenance, local climate, home construction and installation of equipment and duct system.

Licensed to The Best HVAC under the Grant of License terms of Home Comfort Users Agreement.

1.5 TON

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- $\ensuremath{\square}$ Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- ☑ Quiet and evenly distributes warm air to every room
- ☑ Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts and 1 year labor

\$ 4,346

HERITAGE® 13 4A6B30 HEAT PUMP
4TEC3F MULTI AIR HANDLING UNIT/ELECTRIC HEAT/600 PROGRAMMABLE







System Benefits

- ☑ Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts and 1 year labor

\$ 5,000

HERITAGE® 15 146H50 HEAT PUMP 4TEC3F MULTI AIR HANDLING UNIT/ELECTRIC HEAT/600 PROGRAMMABLE







System Benefits

- ☑ Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- 2-stage cooling/heating runs at an energy-saving 70% capacity
- ☑ Reduces greenhouse gas emissions*
- ☑ Quiet and evenly distributes warm air to every room.
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 19 year abor
- ☑ Minimum size this model is 24,000

\$ 7,387

HERITAGE® 16 4A6H60 2-STAGE HEAT PUMP 4TEE3F MULTIAIR HANDLING UNIT/ELECTRIC HEAT/602 PROGRAMMABLE









System Benefits

- Helps save you up to 60% on your energy bills
- ☑ Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Modulating heating runs at an energy-saving 50% capacity*
- ☑ Reduces greenhouse gas emissions
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts 12 year compressor and 10 year labor
- Minimum size this model is 24,000

\$ 9,589

HERITAGE® 20 4A6Z00 HEAT PUMP 4TEE3C MULTI AIR HANDLING UNIT/ELECTRIC HEAT/900 PROGRAMMABLE









Base Installation Price Includes

- ☑ New equipment mounting pad
- Set and level unit
- ☑ New refrigerant line set
- ☑ New condensate line
- ☑ New electrical disconnect
- ☑ New power wire equip. to disconnect
- ☑ New digital thermostat

17

- ☑ New supply/return plenum transitions
- Equipment start up and safety inspection



2 TON

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the fumace
- 10 Year parts and 1 year labor

\$ 4,467

HERITAGE® 13 4A6B30 HEAT PUMP 4TEC3F MULTI AIR HANDLING UNIT/ELECTRIC HEAT/600 PROGRAMMABLE







System Benefits

- Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- ☑ Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- ☑ Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts and 1 year labor

\$ 4,983

HERITAGE® 15 146H50 HEAT PUMP 4TEC3F MULTI AIR HANDLING UNIT/ELECTRIC HEAT/600 PROGRAMMABLE







System Benefits

- ☑ Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- 2-stage cooling/heating runs at an energy-saying 70% capacity
- ☑ Reduces greenhouse gas emissions*
- ☑ Quiet and evenly distributes warm air to every from
- Heavy steel insulated cabinet holds more heat in the furpace
- ☑ 10 Year parts 12 year compressor and 10 year abor

\$ 7,387

HERITAGE® 16 4A6H60 2-STAGE HEAT PUMP
4TEE3F MULTI AIR HANDLING UNIT/ELECTRIC HEAT/602 PROGRAMMABLE









System Benefits

- ☑ Helps save you up to 60% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm ar to every room
- ☑ Heavy steel insulated cabinet holds more heat in the furnace
 ☑ 10 Year parts 12 year compressor and 10 year labor

\$ 9,589

HERITAGE® 20 4A6Z00 HEAT PUMP

4TEE3C MULTI AIR HANDLING UNIT/ELECTRIC HEAT/900 PROGRAMMABLE









Base Installation Price Includes

- New equipment mounting pad
- ☑ Set and level unit
- ☑ New refrigerant line set
- ☑ New condensate line
- ☑ New electrical disconnect
- ☑ New power wire equip, to disconnect
 ☑ New digital thermostat
- ☑ New supply/return plenum transitions
- ☑ Equipment start up and safety inspection

^{*}Potential energy savings may vary depending on your lifestyle, system settings, equipment maintenance, local climate, home construction and installation of equipment and duct system.



2.5 TON

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts and 1 year labor

\$ 4,717

HERITAGE® 13 4A6B30 HEAT PUMP 4TEC3F MULTI AIR HANDLING UNIT/ELECTRIC HEAT/600 PROGRAMMABLE







System Benefits

- Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- Reduces greenhouse gas emissions'
- Quiet and evenly distributes warm air to every room
- ☑ Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts and 1 year labor

5,393

HERITAGE® 15 4A6H50 HEAT PUMP 4TEC3F MULTI AIR HANDLING UNIT/ELECTRIC HEAT/600 PROGRAMMABLE







System Benefits

- ☑ Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- 2-stage cooling/heating runs at an energy-saving 70% capacity
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room.
- Comfort-R™ keeps you cooler by reducing indoor humidity
- Heavy steel insulated cabinet holds more heat in the furnice
- ☑ 10 Year parts 12 year compressor and 10 year labor
- Minimum size this model is 36,000

\$ 8,186

HERITAGE® 16 4A6H60 2-STAGE HEAT PUMP 4TEESE MULTIAIR HANDLING UNIT/ELECTRIC HEAT/602 PROGRAMMABLE









System Benefits

- ☑ Helps save you up to 60% on your energy pills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Modulating heating runs at an energy-saving 50% capacity^e
- Reduces greenhouse gas emissions
- Quiet and evenly distributes warm air to every room
- El Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor
- Minimum size this model is 36,000

\$ 10,161

HERITAGE® 20 4A6Z00 HEAT PUMP 4TEE3C MULTI AIR HANDLING UNIT/ELECTRIC HEAT/900 PROGRAMMABLE









Base Installation Price Includes

- ☑ New equipment mounting pad
- Set and level unit
- ☑ New refrigerant line set
- ☑ New condensate line
- ☑ New electrical disconnect
 ☑ New power wire equip, to disconnect
- ☑ New digital thermostat
- ☑ New supply/return plenum transitions
- ☑ Equipment start up and safety inspection



3 TON

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the fumace
- 10 Year parts and 1 year labor

\$ 5,222

HERITAGE® 13 4A6B30 HEAT PUMP 4TEC3F MULTI AIR HANDLING UNIT/ELECTRIC HEAT/600 PROGRAMMABLE







System Benefits

- Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- ☑ Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- ☑ Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts and 1 year labor

5,970

HERITAGE® 15 486H50 HEAT PUMP 4TEC3F MULTI AIR HANDLING UNIT/ELECTRIC HEAT/600 PROGRAMMABLE







System Benefits

- ☑ Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- 2-stage cooling/heating runs at an energy-saving 70% capacity
- ☑ Reduces greenhouse gas emissions*
- ☑ Quiet and evenly distributes warm air to every com
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year abor

\$ 8,186

HERITAGE® 16 4A6H60 2-STAGE HEAT PUMP 4TEE3F MULTI AIR HANDLING UNIT/ELECTRIC HEAT/602 PROGRAMMABLE









System Benefits

- ☑ Helps save you up to 60% on your energy pills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm ar to every room
- ☑ Heavy steel insulated cabinet holds more heat in the furnace
 ☑ 10 Year parts 12 year compressor and 10 year labor

\$ 10,161

HERITAGE® 20 4A6Z00 HEAT PUMP

4TEE3C MULTI AIR HANDLING UNIT/ELECTRIC HEAT/900 PROGRAMMABLE









Base Installation Price Includes

- New equipment mounting pad
- ☑ Set and level unit
- ☑ New refrigerant line set
- ☑ New condensate line
 ☑ New electrical disconnect
- ☑ New power wire equip, to disconnect
- ☑ New digital thermostat
- ☑ New supply/return plenum transitions
- ☑ Equipment start up and safety inspection

^{*}Potential energy savings may vary depending on your lifestyle, system settings, equipment maintenance, local climate, home construction and installation of equipment and duct system.



3.5 TON

System Benefits

- Helps save you up to 38% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room.
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts and 1 year labor

\$ 5,768

HERITAGE® 13 4A6B30 HEAT PUMP 4TEC3F MULTI AIR HANDLING UNIT/ELECTRIC HEAT/600 PROGRAMMABLE







System Benefits

- Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- P Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts and 1 year labor

\$ 6,442

HERITAGE® 15 4A6H50 HEAT PUNIP 4TEC3F MULTI AIR HANDLING UNIT/ELECTRIC HEAT/600 PROGRAMMABLE







System Benefits

- Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- 2-stage cooling/heating runs at an energy-saving 70% capacity
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- ☑ Comfort-R™ keeps you cooler by reducing indoor humidity.
- Heavy steel insulated cabinet holds more heat in the furnece
- ☑ 10 Year parts 12 year compressor and 10 year labor
- Minimum size this model is 48,000

\$ 9,287

HERITAGE® 16 4A6H60 2-STAGE HEAT PUMP 4TEE3P MULTI AIR HANDLING UNIT/ELECTRIC HEAT/602 PROGRAMMABLE









System Benefits

- Helps save you up to 60% on your energy bills"
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Modulating heating runs at an energy-saving 50% capacity*
- ☑ Reduces greenhouse gas emissions*
- D Quiet and evenly distributes warm air to every room
- M Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor
- Minimum size this model is 48,000

\$ 11,432

HERITAGE® 20 4A6Z00 HEAT PUMP 4TEE3C MULTI AIR HANDLING UNIT/ELECTRIC HEAT/900 PROGRAMMABLE









Base Installation Price Includes

- ☑ New equipment mounting pad
- Set and level unit
- M New refrigerant line set
- ☑ New condensate line
- ☑ New electrical disconnect
- New power wire equip, to disconnect
- ☑ New digital thermostat
- ☑ New supply/return plenum transitions
- ☑ Equipment start up and safety inspection

*Potential energy savings may vary depending on your lifestyle, system settings, equipment maintenance, local climate, home construction and installation of equipment and duct system.



Licensed to The Best Hesting & Cooling under the Grant of License terms of Home Comfort Users Agreement

4 TON

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the fumace
- 10 Year parts and 1 year labor

\$ 6,186

HERITAGE® 13 4A6B30 HEAT PUMP 4TEC3F MULTI AIR HANDLING UNIT/ELECTRIC HEAT/600 PROGRAMMABLE







System Benefits

- Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- ☑ Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- I Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts and 1 year labor

6,910

HERITAGE® 15 486H50 HEAT PUMP 4TEC3F MULTI AIR HANDLING UNIT/ELECTRIC HEAT/600 PROGRAMMABLE







System Benefits

- ☑ Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- 2-stage cooling/heating runs at an energy-saving 70% capacity
- Reduces greenhouse gas emissions*
- ☑ Quiet and evenly distributes warm air to every com
- ☑ Heavy steel insulated cabinet holds more heat in the furnace.
- ☑ 10 Year parts 12 year compressor and 10 year abor

\$ 9,287

HERITAGE® 16 4A6H60 2-STAGE HEAT PUMP 4TEE3F MULTI AIR HANDLING UNIT/ELECTRIC HEAT/602 PROGRAMMABLE









System Benefits

- ☑ Helps save you up to 60% on your energy pills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- ☑ Quiet and evenly distributes warm ar to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor

\$ 11,432

HERITAGE® 20 4A6Z00 HEAT PUMP

4TEE3C MULTI AIR HANDLING UNIT/ELECTRIC HEAT/900 PROGRAMMABLE









Base Installation Price Includes

- New equipment mounting pad
- ☑ Set and level unit
- ☑ New refrigerant line set
- ☑ New condensate line
- ☑ New electrical disconnect
 ☑ New power wire equip, to disconnect
- ☑ New digital thermostat
- ☑ New supply/return plenum transitions
- ☑ Equipment start up and safety inspection

^{*}Potential energy savings may vary depending on your lifestyle, system settings, equipment maintenance, local climate, home construction and installation of equipment and duct system.



5 TON

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the fumace
- 10 Year parts and 1 year labor

\$ 6,831

HERITAGE® 13 4A6B30 HEAT PUMP 4TEC3F MULTI AIR HANDLING UNIT/ELECTRIC HEAT/600 PROGRAMMABLE







System Benefits

- Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- ☑ Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- ☑ Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts and 1 year labor

5 7,331

HERITAGE® 15 486H50 HEAT PUMP 4TEC3F MULTI AIR HANDLING UNIT/ELECTRIC HEAT/600 PROGRAMMABLE







System Benefits

- ☑ Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- 2-stage cooling/heating runs at an energy-saving 70% capacity
- Reduces greenhouse gas emissions*
- ☑ Quiet and evenly distributes warm air to every com
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year abor

\$ 9,720

HERITAGE® 16 4A6H60 2-STAGE HEAT PUMP 4TEE3F MULTI AIR HANDLING UNIT/ELECTRIC HEAT/602 PROGRAMMABLE









System Benefits

- ☑ Helps save you up to 60% on your energy pills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor

\$ 12,128

HERITAGE® 20 4A6Z00 HEAT PUMP

4TEE3C MULTI AIR HANDLING UNIT/ELECTRIC HEAT/900 PROGRAMMABLE









Base Installation Price Includes

- New equipment mounting pad
- ☑ Set and level unit
- ☑ New refrigerant line set
- ☑ New condensate line
- ☑ New electrical disconnect
 ☑ New power wire equip, to disconnect
- ☑ New digital thermostat
- ☑ New supply/return plenum transitions
- ☑ Equipment start up and safety inspection



1.5 TON

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- $\ensuremath{\,\boxtimes\,}$ Provides more efficient and reliable cooling
- ☑ Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room.
- E Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts and 1 year labor

\$ 6.022

HERITAGE® 13 4A6B30 HEAT PUMP FREEDOM® 80 1-STAGE AUD FURNACE/4TXCB COIL 600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- ☑ Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- 2 Quiet and evenly distributes warm air to every room
- ☑ Heavy steel insulated cabinet holds more heat in the furnace

\$ 8,457

HERITAGE® 15 4A6H50 HEAT PUMP
FREEDOM® 80 1-STAGE AUD FURNACE/4TXCB COIL
600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL









System Benefits

- ☑ Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- 2-stage cooling/heating runs at an energy-saving 70% capacity*
- Reduces greenhouse gas emissions¹
- Quiet and evenly distributes warm air to every room
- ☑ Comfort-R™ keeps you couler by reducing indoor humidity.
- ⊞ Heavy steel insulates cabinet holds more heat in the turnace
 □ 10 Year parts 12 year compressor and 10 year labor.
- ☑ Minimum size this model is 24,000.

\$ 9,002

HERITAGE® 16 4A6H60 2-STAGE HEAT PUMP FREEDOM® 80 COMFORT-R™ 2-STAGE AUD FURNACE/4TXCB COIL 802 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









System Benefits

- Helps save you up to 60% on your energy bills
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Modulating heating runs at an energy-saving 50% capacity*
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- E Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor.
- Minimum size this model is 24,000

\$ 13,234

HERITAGE® 20 4A6Z00 HEAT PUMP

FREEDOM® 95 COMFORT-R™ MODULATING ADH FURNACE/4TXCB COIL 900 FAMILY 7 DAY TOUCH SCREEN COMFORT CONTROL







Base Installation Price Includes

- ☑ New equipment mounting pad
- Set and level unit
- ☑ New refrigerant line set
- ☑ New condensate line
- ☑ New electrical disconnect
- ☑ New power wire equip, to disconnect
- ☑ New digital thermostat
- ☑ New supply/return plenum transitions
- Equipment start up and safety inspection



2 TON

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- ☑ Provides more efficient and reliable cooling
- ☑ Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts and 1 year labor

6,143

HERITAGE® 13 4A6B30 HEAT PUMP FREEDOM® 80 1-STAGE AUD FURNACE/4TXCB COIL 600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- ☑ Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts and 1 year labor.

8,507

HERITAGE 15 4ASH50 HEAT PUMP FREEDOM® 80 1-STAGE AUD FURNACE/4TXCB COIL 600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- 2-stage cooling/heating runs at an energy-saying 70% capacity
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to givery room
- ☑ Comfort-R™ keeps you cooler by reducing indoor humidity Heavy steel insulated cabinet holds more heat in the firmace
- ☑ 10 Year parts 12 year compressor and 10 year labor

\$ 9,002

HERITAGE® 16 4A6H60 2-STAGE HEAT PUMP FREEDOM® 80 COMFORT-R™ 2-STAGE AUD FURNACE/4TXCB COIL 802 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









System Benefits

- ☑ Helps save you up to 60% on your energy bills* Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Modulating heating runs at an energy-saving 50% capacity*
- ☑ Reduces greenhouse gas emissions
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts 12 year compressor and 10 year labor

\$ 13,234

HERITAGE® 20 4A6Z00 HEAT PUMP

FREEDOM® 95 COMFORT-R™ MODULATING ADH FURNACE/4TXCB COIL 900 FAMILY 7 DAY TOUCH SCREEN COMFORT CONTROL









Base Installation Price Includes

- ☑ New equipment mounting pad
- Set and level unit
- M New refrigerent line set
- ☑ New condensate line
- New electrical disconnect
- New power wire equip, to disconnect
- New digital thermostat
- ☑ New supply/return plenum transitions
- Equipment start up and safety inspection



2.5 TON

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- $\ensuremath{\,\boxtimes\,}$ Provides more efficient and reliable cooling
- ☑ Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room.
- E Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts and 1 year labor

\$ 6.564

HERITAGE® 13 4A6B30 HEAT PUMP FREEDOM® 80 1-STAGE AUD FURNACE/4TXCB COIL 600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- ☑ Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- ☑ Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts and 1 year labor

\$ 9,390

HERITAGE® 15 4A6H50 HEAT PUMP
FREEDOM® 80 1-STAGE AUD FURNACE/4TXCB COIL
600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- ☑ Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- 2-stage cooling/heating runs at an energy-saving 70% capacity*
- Reduces greenhouse gas emissions¹
- Quiet and evenly distributes warm air to every room
- ☑ Comfort-R™ keeps you couler by reducing indoor humidity.
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labol
 ☑ Minimum size this model is 36,000

\$ 9,809

HERITAGE® 16 4A6H60 2-STAGE HEAT PUMP FREEDOM® 80 COMFORT-R™ 2-STAGE AUD FURNACE/4TXCB COIL 802 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









System Benefits

- Helps save you up to 60% on your energy bills
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Modulating heating runs at an energy-saving 50% capacity*
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- E Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor.
- Minimum size this model is 36,000

\$ 13,898

HERITAGE® 20 4A6Z00 HEAT PUMP

FREEDOM® 95 COMFORT-R™ MODULATING ADH FURNACE/4TXCB COIL 900 FAMILY 7 DAY TOUCH SCREEN COMFORT CONTROL









Base Installation Price Includes

- ☑ New equipment mounting pad
- Set and level unit
- Mew refrigerant line set
- ☑ New condensate line
- ☑ New electrical disconnect
- ☑ New power wire equip, to disconnect
- ☑ New digital thermostat
- ☑ New supply/return plenum transitions
- E Equipment start up and safety inspection



3 TON

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- ☑ Provides more efficient and reliable cooling
- ☑ Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts and 1 year labor

\$ 7,041

HERITAGE® 13 4A6B30 HEAT PUMP FREEDOM® 80 1-STAGE AUD FURNACE/4TXCB COIL 600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- ☑ Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts and 1 year labor.

\$ 9,533

HERITAGE 15 4ACH50 HEAT PUMP
FREEDOM 80 1-STAGE AUD FURNACE/4TXCB COIL
600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- 2-stage cooling/heating runs at an energy-saying 70% capacity*
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every from
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor

\$ 9,809

HERITAGE® 16 4A6H60 2-STAGE HEAT PUMP FREEDOM® 80 COMFORT-R™ 2-STAGE AUD FURNACE/4TXCB COIL 802 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









System Benefits

- Helps save you up to 60% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Modulating heating runs at an energy-saving 50% capacity*
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- I Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor

\$ 13,898

HERITAGE® 20 4A6Z00 HEAT PUMP

FREEDOM® 95 COMFORT-R™ MODULATING ADH FURNACE/4TXCB COIL 900 FAMILY 7 DAY TOUCH SCREEN COMFORT CONTROL









Base Installation Price Includes

- ☑ New equipment mounting pad
- ☑ Set and level unit
- ☑ New refrigerant line set
- ☑ New condensate line
- ☑ New electrical disconnect
- ☑ New power wire equip, to disconnect
- ☑ New digital thermostat
- ☑ New supply/return plenum transitions
- ☑ Equipment start up and safety inspection



3.5 TON

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- $\ensuremath{\,\boxtimes\,}$ Provides more efficient and reliable cooling
- ☑ Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room.
- E Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts and 1 year labor

\$ 7,580

HERITAGE® 13 4A6B30 HEAT PUMP FREEDOM® 80 1-STAGE AUD FURNACE/4TXCB COIL 600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- ☑ Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- 2 Quiet and evenly distributes warm air to every room
- M Heavy steel insulated cabinet holds more heat in the furnace

\$ 10,611

HERITAGE® 15 4A6H50 HEAT PUMP
FREEDOM® 80 1-STAGE AUD FURNACE/4TXCB COIL
600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- ☑ Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- 2-stage cooling/heating runs at an energy-saving 70% capacity*
- Reduces greenhouse gas emissions¹
- Quiet and evenly distributes warm air to every room
- ☑ Comfort-R™ keeps you couler by reducing indoor humidity.
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labol
 ☑ Minimum size this model is 48,000

\$ 11,138

HERITAGE® 16 4A6H60 2-STAGE HEAT PUMP FREEDOM® 80 COMFORT-R™ 2-STAGE AUD FURNACE/4TXCB COIL 802 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









System Benefits

- Helps save you up to 60% on your energy bills
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Modulating heating runs at an energy-saving 50% capacity*
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- E Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor.
- Minimum size this model is 48,000

\$ 15,259

HERITAGE® 20 4A6Z00 HEAT PUMP

FREEDOM® 95 COMFORT-R™ MODULATING ADH FURNACE/4TXCB COIL 900 FAMILY 7 DAY TOUCH SCREEN COMFORT CONTROL









Base Installation Price Includes

- ☑ New equipment mounting pad
- Set and level unit
- Mew refrigerant line set
- ☑ New condensate line
- ☑ New electrical disconnect
- ☑ New power wire equip, to disconnect
- ☑ New digital thermostat
- ☑ New supply/return plenum transitions
- E Equipment start up and safety inspection



4 TON

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- ☑ Provides more efficient and reliable cooling
- ☑ Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts and 1 year labor

\$ 7,959

HERITAGE® 13 4A6B30 HEAT PUMP FREEDOM® 80 1-STAGE AUD FURNACE/4TXCB COIL 600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- ☑ Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts and 1 year labor.

\$ 10,921

HERITAGE 15 4ACH50 HEAT PUMP
FREEDOM 80 1-STAGE AUD FURNACE/4TXCB COIL
600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- ☑ Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- 2-stage cooling/heating runs at an energy-saying 70% capacity*
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every from
- ☑ Comfort-R™ keeps you coder by reducing indoor humidity
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor

\$ 11,138

HERITAGE® 16 4A6H60 2-STAGE HEAT PUMP FREEDOM® 80 COMFORT-R™ 2-STAGE AUD FURNACE/4TXCB COIL 802 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









System Benefits

- Helps save you up to 60% on your energy bills.
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Modulating heating runs at an energy-saving 50% capacity*
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- I Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor

\$ 13,898

HERITAGE® 20 4A6Z00 HEAT PUMP

FREEDOM® 95 COMFORT-R™ MODULATING ADH FURNACE/4TXCB COIL 900 FAMILY 7 DAY TOUCH SCREEN COMFORT CONTROL









Base Installation Price Includes

- ☑ New equipment mounting pad
- ☑ Set and level unit
- ☑ New refrigerant line set
- ☑ New condensate line
- ☑ New electrical disconnect
- New power wire equip, to disconnect
- ☑ New digital thermostat
- ☑ New supply/return plenum transitions
- ☑ Equipment start up and safety inspection



5 TON

System Benefits

- ☑ Helps save you up to 38% on your energy bills*
- ☑ Provides more efficient and reliable cooling
- ☑ Rust-resistant protection from the elements
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- 10 Year parts and 1 year labor

\$ 8,596

HERITAGE® 13 4A6B30 HEAT PUMP FREEDOM® 80 1-STAGE AUD FURNACE/4TXCB COIL 600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- ☑ Helps save you up to 43% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts and 1 year labor.

\$ 11,634

HERITAGE 15 4ACH50 HEAT PUMP
FREEDOMS 80 1-STAGE AUD FURNACE/4TXCB COIL
600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL







System Benefits

- Helps save you up to 50% on your energy bills*
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- 2-stage cooling/heating runs at an energy-saying 70% capacity*
- Reduces greenhouse gas emissions*
- ☑ Quiet and evenly distributes warm air to every from
- ☑ Comfort-R™ keeps you coder by reducing indoor humidity
- Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor

\$ 11,008

HERITAGE® 16 4A6H60 2-STAGE HEAT PUMP FREEDOM® 80 COMFORT-R™ 2-STAGE AUD FURNACE/4TXCB COIL 802 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL









System Benefits

- Helps save you up to 60% on your energy bills.
- Provides more efficient and reliable cooling
- Rust-resistant protection from the elements
- ☑ Modulating heating runs at an energy-saving 50% capacity*
- ☑ Reduces greenhouse gas emissions*
- Quiet and evenly distributes warm air to every room
- I Heavy steel insulated cabinet holds more heat in the furnace
- ☑ 10 Year parts 12 year compressor and 10 year labor

\$ 16,035

HERITAGE® 20 4A6Z00 HEAT PUMP

FREEDOM® 95 COMFORT-R™ MODULATING ADH FURNACE/4TXCB COIL 900 FAMILY 7 DAY TOUCH SCREEN COMFORT CONTROL









Base Installation Price Includes

- ☑ New equipment mounting pad
- ☑ Set and level unit
- New refrigerant line set
- ☑ New condensate line
- ☑ New electrical disconnect
- ☑ New power wire equip, to disconnect
- ☑ New digital thermostat
- ☑ New supply/return plenum transitions
- ☑ Equipment start up and safety inspection



FURNACE ONLY UPFLOW/HORIZONTAL

SIZE
MBTU INVESTMENT

FREEDOM® 80 1-STAGE AUD FURNACE 600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMFORT CONTROL

System Benefits

- Simple low cost easy system maintenance access
- ☑ Efficient performance maximizes savings & comfort
- ☑ Guaranteed worry-free operation and dependability

60,000	\$ 2,726
80,000	\$ 2,926
100,000	\$ 2,996
120,000	\$ 3,014



System Benefits

- Simple low cost easy system maintenance access
- Efficient performance maximizes savings & comfort
- ☑ Guaranteed worry-free operation and dependability
- ☑ 10 Year parts and 1 year labor

FREEDOM® 95 SINGLE-STAGE AUH FURNACE 600 FAMILY 5/2 DIGITAL PROGRAMMABLE COMPORT CONTROL

60,000	\$	2 17
80,000	\$	2,757
100,000	\$	2,854
120,000	5	3.025
	_	-





System Benefits

- ☑ Simple low cost easy system maintenance access
- Efficient performance maximizes savings & comfort
- ☑ Guaranteed worry-free operation and dependability
- 10 Year parts and 1 year labor

FREEDOM® 90 COMFORT-R™ 2-STAGE AUX FURNACE 802 FAMILY 7-DAY TOUCH SCREEN COMFORT CONTROL

1	60,000	\$	4,200
	80,000	\$	4,346
1	100,000	3	4,548
	120,000	\$	4,650





System Benefits

- Simple low cost easy system maintenance acress
- ☑ Efficient performance maximizes savings & comfort
- ☑ Guaranteed worry-free operation and dependability

FREEDOM® 95 COMFORT-R™ MODULATING ADH FURNACE 900 FAMILY 7 DAY TOUCH SCREEN COMFORT CONTROL

60,000	\$	5,376
80,000	5	5,524
100,000	\$	5,730
120.000	5	5.834





Base Installation Price Includes

Set and level unit

31

- ☑ New supply/return plenum transitions
- ☑ New digital thermostat
- Equipment start up and safety inspection



IAQ ACCESSORIES PRICE SHEET

ACCESSORY	PURPOSE/NEED	WITH NEW SYSTEM	NEW INSTALL
Tru Steam 6 gal Humidification Systems	During the wintertime and in hot, dry climates, dry air inside your home can make you uncomfortable and cause damage to your belongings. The addition of an American Standard Heating & Air Conditioning humidifier is just the thing to restore the right amount of moisture to your home's air—for superior home comfort.	\$746	\$956
Tru Steam 12 gal Humidification Systems	During the wintertime and in hot, dry climates, dry air inside your home can make you uncomfortable and cause damage to your belongings. The addition of an American Standard Heating & Air Conditioning humidifier is just the thing to restore the right amount of moisture to your home's air—for superior home comfort.	\$799	\$1,009
	Improving the air in your home is easy with the AccuClean™ Whole-Home Air Filtration System. Removes up to 99.98% of allergens from filtered air and catches particles even smaller than .1 micronin size 100 times more effective than a standard 1" throwaway filter. Includes a reusable filter is easy to vacuum or wash.	\$1,302	\$1,492
Beam HEPA Air Cleaner System	The BEAM HEPA systems are superior to other methods of filtration by accurately achieving HEPA standard.	\$1,324	\$1,574
AccuExchange™ Energy Recovery Ventilato	An air exchanger removes your nome's stale indoor air and replaces it with an equal amount of fresh outdoor air. Plus, it recovers heat and moisture from the exchanged air in the winter, and pre-cools and dehumidifies incoming air in the summer. The result: a more comfortable, healthy, energy-efficient home for you and your family	\$1,728	\$1,916
Whole-House Media Air Cleaner	The F100F Media Air Cleaner captures a significant amount of the airborne particles from the air circulated through the unit. Recommended as the basic minimum air quality product.	\$427	\$676
803 Touchscreen Digital Programmable	Easy-to-use interactive touchscreen thermostat that lets you program wake, leave, return, sleep and vacation heat and cool settings for seven different days. Includes a large, backlit display is easy to read even in low lighting.	\$270	\$289



Licensed to The Best Heating & Cooling under the Grant of License terms of Home Comfort Users Agreement.

Customer Name:		Date:	
Customer Name:			Investmen
Equipment:		Investment Option #1	Option #2
Air Conditioning SEER: Tons:			
Furnace AFUE: MBTU:			
Reuse vibration islolation straps - attic	(\$56)		
Drain pan and drain line attic installation	\$372		
Replace supply plenum	\$324		
Replace return plenum	\$324		
New supply diffuser and run 6"x12"register	\$229		
New return run 8" up to 25'	\$172		
New return run 10" up to 25'	\$199		
New return run 14" up to 25'	\$223		
New return run 16" up to 25'	\$271		
New supply run up to 6" up to 25'	\$153		
New supply run up to 7"-9" up to 25'	\$189	1	
New supply run up to 10" - 12" up to 25'	\$216	1	
Reuse existing disconnect Reuse existing equipment pad	(\$67)	1	1
	(\$86)	1	
Reuse existing line set New float and overflow line	(\$220) \$86		
New 4"x4" styrofoam lift under drain pain	\$86		
System Accessories	300		56
Heat Kit 5KW	\$359		
Heat Kit 10KW	5427		
Heat Kit 15KW	\$457		
Heat Kit 25KW	\$673		
Heat Kit 30KW	\$920	-	
TIOULINE SORTY	0020	-	
			Ch.
	4		
		5 1	i i
		V V	
IAO Assessaries From Price Pour			-
IAQ Accessories - From Price Page		-	
Power Humidification Systems			ė:
AccuClean™ Whole Home Air Filtration System		-	
Guadian HEPA Air Cleaner System			
AccuExchange™ Energy Recovery Ventilator (ERV)			
Bypass Humidifier			
Ultraviolet Dual Lamp Treatment Systems			
Whole-House Media Air Cleaner			
803 Touchscreen Digital Programmable			
A186			
		1	
		(i	
	Total Investment		
Monthly Fi	nance Estimated Payment *	1	
	Estimated Energy Savings*		
The state of the s	Net Monthly Investment*		

^{*} Actual financed charges and energy savings are projected and may be different from those shown

FINANCE TABLES



Monthly Rate Calculator - Home Equity

Rate:

4.75%

71.7000	ount to	6 months	12 months	24 months	36 months	48 months	60 months	72 months	84 months
5	2.500	6 months \$422.46	\$213.73	\$109.40	36 months \$74.65	\$57.29	\$46.89	72 months \$39.97	\$35.04
_	2,650	\$447.81		\$115.96	\$79.13	\$60.73	\$49.71	\$42.37	\$35.04
5	2,800	\$473.15	\$226.56 \$239.38	\$1122.53	\$83.60	\$64.17	\$52.52	\$42.37	\$37.14
\$				0.0000000000000000000000000000000000000				***************************************	
\$	2,950	\$498.50	\$252.20	\$129.09	\$88.08	\$67.60	\$55.33	\$47.17	\$41.35
\$	3,100	\$523.85	\$265.03	\$135,65	\$92.56	\$71.04	\$58.15	649:57	\$43.45
\$	3,250	\$549.20	\$277.85	\$142.22	\$97.04	\$74.48	\$60.96	\$51.96	\$45.55
\$	3,400	\$574.54	\$290.68	\$148.78	\$101.52	\$77.92	\$63.77	\$54.36	\$47.66
\$	3,550	\$599.89	\$303.50	\$155.35	\$106.00	\$81.35	\$66.59	\$56.76	\$49.76
\$	3,700	\$625.24	\$316.32	\$161.91	\$110.48	\$84.79	\$69.40	\$59.16	651.86
\$	3,850	\$650.59	\$329.15	\$168.47	\$114.96	\$88.23	\$72.21	\$61.56	\$53.96
\$	4,000	\$675.93	\$341.97	\$175.04	\$119.44	\$91.66	\$75.03	\$63.96	\$56.07
\$	4,150	\$701.28	\$354.80	\$181.60	\$123.91	\$95.10	\$77.84	\$66.36	\$58.17
\$	4,300	\$726.63	\$367.62	\$188.17	\$128.39	\$98.54	\$80.65	\$68.75	\$80.27
\$	4,450	\$751.98	\$380.44	\$194.73	\$132.87	\$101.98	\$83.47	\$71.15	\$62.37
\$	4,600	\$777.32	\$393.27	\$201.29	\$137.35	\$105.41	\$86.28	\$73.55	\$64.48
\$	4,750	\$802.67	\$406.09	\$207.86	\$141.83	\$108,85	\$89.10	\$75.95	\$66.58
\$	4,900	\$828.02	\$418.92	\$214.42	\$146.31	\$112.29	\$91,91	\$78.35	\$68.68
\$	5,050	\$853.37	\$431.74	\$220.99	\$150.79	\$115.73	\$94.72	\$80.75	\$70.78
\$	5,200	\$878.71	\$444.56	\$227.55	\$155.27	\$1 19.16	\$97.54	\$83.14	\$72.89
\$	5,350	\$904.06	\$457.39	\$234.11	\$159.74	\$122.60	\$100.35	\$85.54	\$74.99
\$	5,500	\$929.41	\$470.21	\$240.68	\$164.22	\$126.04	\$103.16	\$87.94	\$77.09
\$	5,650	\$954.76	\$483.04	\$247.24	\$168.70	\$129.48	\$105.98	\$90.34	\$79.19
\$	5,800	\$980.10	\$495.86	\$253.81	\$173,18	\$132.91	\$108.79	\$92.74	\$81.30
\$	5,950	\$1,005.45	\$508.68	\$260.37	\$177.66	\$136.35	\$111.60	\$95.14	\$83.40
\$	6,100	\$1,030.80	\$521.51	\$266.93	\$182.14	\$139.79	\$114.42	\$97.53	\$85.50
\$	6,250	\$1,056.15	\$534.33	\$273.50	\$186.62	\$143.23	\$117.23	\$99.93	\$87.60
\$	6,400	\$1,081.49	\$547.15	\$280.06	\$191.10	\$146.66	\$120.04	\$102.33	\$89.71
\$	6,550	\$1,106.84	\$559.98	\$286.62	\$195.58	\$150.10	\$122.86	\$104.73	\$91.81
\$	6,700	\$1,132.19	\$572.80	\$293.19	\$200.05	\$153,54	\$125.67	\$107.13	\$93.91
S	6,850	\$1,157.54	\$585.63	\$299.75	\$204.53	\$156.98	\$128.48	\$109.53	\$96.01
\$	7,000	\$1,182.88	\$598.45	\$305.32	\$209.01	\$160.41	\$131.30	\$111.92	\$98.12
\$	7,150	\$1,208.23	\$611.27	\$312,88	\$213.49	\$163.85	\$134.11	\$114.32	\$100.22
\$	7,300	\$1,233.58	\$624.10	\$319.44	\$217.97	\$167.29	\$136.93	\$116.72	\$102.32
\$	7,450	\$1,258.93	\$636.92	\$326.01	\$222.45	\$170.73	\$139.74	\$119.12	\$104.42
\$	7,600	\$1,284.27	\$649.75	\$332.57	\$228,93	\$174.16	\$142.55	\$121.52	\$106.53
\$	7,750	\$1,309.62	\$662.57	\$339.14	\$231.41	\$177.60	\$145.37	\$123.92	\$108.63
5	7,900	\$1,334.97	\$675.39	\$345.70	\$235.88	\$181.04	\$148.18	\$126,31	\$110.73
5	8,050	\$1,360.32	\$688/22 /	\$352.26	\$240.36	\$184.48	\$150.99	\$128.71	\$112.83
5	8,200	\$1,385,68	\$701.04 /	\$358.83	\$244.84	\$187.91	\$153.81	\$131.11	\$114.94
5	8,350	\$1,411.01	\$713.87	\$365.39	\$249.32	\$191.35	\$156.62	\$133.51	\$117.04
\$	8,500	\$1,436.36	\$726.69	\$371.96	\$253.80	\$194.79	\$159.43	\$135.91	\$119.14
5	8,650	\$1,461/71	\$739.51	\$378.52	\$258.28	\$198.23	\$162.25	\$138.31	\$121.24
\$	8,800	\$1,487.05	\$752.34	\$385.08	\$262.76	\$201.66	\$165.06	\$140.71	\$123.35
\$	8.950	91,512.40	\$765.16	\$301.65	\$267.24	\$205.10	\$167.87	\$143.10	\$125.45
5	9,100	\$1,537.75	\$777.99	\$398.21	\$271.71	\$208.54	\$170.69	\$145.50	\$127.55
_	0,100	4 HOUTHO	9111.00	9000.21	92/1//1	9200.04	\$170,00	\$140.00	9121,00

Monthly Rate Calculator

Rate:

6.75%

0.000	ount to	440.0000	**********		274 C222 A22		***	44.000000000000000000000000000000000000
	nance	12 months	24 months	36 months	48 months	60 months	72 months	84 months
S	2,500	\$216.03	\$111.65	\$76.91	\$59.58	\$49.21	\$42.32	\$37.43
	2,650	\$228.99	\$118,35	\$81.52	\$63.15	\$52.16	\$44.86	\$39.67
	2,800	\$241.95	\$125.05	\$86.14	\$66.73	\$55.11	\$47.40	\$41.92
_	2,950	\$254.91	\$131.75	\$90.75	\$70.30	\$58.07	\$49.94	\$44.16
S	3,100	\$267.88	\$138.44	\$95.37	\$73.87	\$61.02	\$52.48	\$46.41
\$	3,250	\$280.84	\$145.14	\$99.98	\$77.45	\$63,97	\$55.02	\$48.65
S	3,400	\$293.80	\$151.84	\$104.59	\$81.02	\$86.92	\$57.66	\$50.90
\$	3,550	\$306.76	\$158.54	\$109.21	\$84.60	\$69.88	\$50.10	\$53.15
\$	3,700	\$319.72	\$165.24	\$113.82	\$88.17	\$72.83	\$62.64	\$55,39
\$	3,850	\$332.68	\$171.94	\$118.44	\$91.75	\$75.78	\$65/18	\$57.64
\$	4,000	\$345.65	\$178.64	\$123.05	\$95.32	\$78.73	\$67.72	\$59.88
\$	4,150	\$358.61	\$185.34	\$127.67	\$98.90	381.69	\$70.26	\$62.13
\$	4,300	\$371.57	\$192.04	\$132.28	\$102.47	\$84.64	\$72.80	\$64.37
\$	4,450	\$384.53	\$198.73	\$136.90	\$106.05	\$87.59	\$75.34	\$66.62
\$	4,600	\$397.49	\$205.43	\$141.51	\$109.62	\$90.54	677.87	\$68.87
\$	4,750	\$410.45	\$212.13	\$146.12	\$113.19	\$93.50	\$88,41	\$71.11
\$	4,900	\$423.42	\$218.83	\$150.74	\$116.77	\$96.45	\$82.95	\$73.36
S	5,050	\$436.38	\$225.53	\$155.35	\$120.34	\$99.40	\$85.49	\$75.60
\$	5,200	\$449.34	\$232.23	\$159.97	\$123.92	\$102.35	\$88.03	\$77.85
\$	5,350	\$462.30	\$238.93	\$164.58	\$127,49	\$105.3	\$90.57	\$80.09
\$	5,500	\$475.26	\$245.63	\$169.20	\$131.07	\$108.26	\$93.11	\$82.34
5	5,650	\$488.23	\$252.33	\$173.81	\$134.64	\$111.21	\$95.65	\$84.58
S	5,800	\$501.19	\$259.02	\$178.42	\$138.22	\$114.16	\$98.19	\$86.83
S	5,950	\$514.15	\$265.72	\$183.04	\$141.79	\$117.42	\$100.73	\$89.08
S	6,100	\$527.11	\$272.42	\$187.65	\$145.37	\$120.07	\$103.27	\$91.32
\$	6,250	\$540.07	\$279.12	\$192.27	\$148.94	5123.02	\$105.81	\$93.57
\$	6,400	\$553.03	\$285.82	\$196.88	\$152.51	\$129.97	\$108.35	\$95.81
\$	6,550	\$566.00	\$292.52	\$204,50	\$156.09	\$128.93	\$110.89	\$98.06
S	6,700	\$578.96	\$299.22	\$206.11	\$159.66	\$131.88	\$113.43	\$100.30
S	6.850	\$591.92	\$305.92	\$210.73	\$163.24	\$134.83	\$115.97	\$102.55
S	7,000	\$604.88	\$312.62	3215.84	\$166.81	\$137.78	\$118.50	\$104.80
\$	7,150	\$617.84	\$319.31	\$219.95	\$170.39	\$140.74	\$121.04	\$107.04
\$	7,300	\$630.80	\$326.01	\$224.57	\$173.96	\$143.69	\$123.58	\$109.29
\$	7,450	\$643.77	\$332.71	5229.18	\$177.54	\$146.64	\$126.12	\$111.53
S	7,600	\$656.73	\$339.41	\$233.80	\$181.11	\$149.59	\$128.66	\$113.78
\$	7,750	\$669.69	\$346.11	\$238.41	\$184.69	\$152.55	\$131.20	\$116.02
5	7,900	\$682.65	\$352.81	\$243.03	\$188.26	\$155.50	\$133.74	\$118.27
\$	8,050	\$695.61	\$359/51	\$247.64	\$191.83	\$158.45	\$136.28	\$120.51
5	8,200	\$708.57	\$386.21	\$252.28	\$195.41	\$161.40	\$138.82	\$122.76
5	8,350	\$721.54	\$372.91	\$256.87	\$198.98	\$164.36	\$141.36	\$125.01
5	8,500	\$734.50	\$379.60	\$261.48	\$202.56	\$167.31	\$143.90	\$127.25
5	8,650	\$747.46	\$386.30	\$266.10	\$206.13	\$170.26	\$146.44	\$129.50
\$	8,800	\$760.42	\$393.00	\$270.71	\$209.71	\$173.21	\$148.98	\$131.74
S	8,950	\$773.38	\$399.70	\$275.33	\$213.28	\$176.17	\$151.52	\$133.99
S	9,100	\$786.35	\$406.40	\$279.94	\$216.86	\$179.12	\$154.06	\$136.23
,	8,100	\$100,00	3400.40	\$218.84	\$210.00	31/9.12	3104.00	\$130.23

Monthly Rate Calculator - Same as Cash Tables

Rate:

7.00%

	mount to Finance	6 Mos Same as Cash 6 Months Repay	6 Mos Same as Cash 12 Months Repay	6 Mos Same as Cash 24 Months Repay	6 Mos Same as Cash 36 Months Repay	6 Mos Same as Cash 48 Months Repay	6 Mos Same as Cash 60 Months Repay	6 Mos Same as Cash 72 Months Repay	6 Mos Same as Cash 84 Months Repay
\$	2,500	\$440.10	\$231.46	\$128.43	\$82.60	\$64.06	\$52.97	\$45.61	\$40.37
\$	2,650	\$466.50	\$245.35	\$126.95	\$87.55	\$67.90	\$56.15	\$48.34	\$42.80
\$	2,800	\$492.91	\$259.23	\$134.14	\$92.51	\$71.74	\$59.32	\$51.08	\$45.22
\$	2,950	\$519.31	\$273.12	\$141.32	\$97.46	\$75.59	\$62.50	\$53.82	\$47.64
\$	3,100	\$545.72	\$287.01	\$148.51	\$102.42	\$79.43	\$65.68	\$56.55	\$50.06
\$	3,250	\$572.13	\$300.90	\$155.70	\$107.38	\$83.27	\$68.86	\$59.29	\$52.48
\$	3,400	\$598.53	\$314.78	\$162.88	\$112.33	\$87.12	\$72.04	\$62.02	\$64.91
\$	3,550	\$624.94	\$328.67	\$170.07	\$117.29	\$90.96	\$75.21	\$64.76	\$57.33
\$	3,700	\$651.34	\$342.56	\$177.25	\$122.24	\$94.80	\$78.39	\$67.50	\$59.75
\$	3,850	\$677.75	\$356.45	\$184.44	\$127.20	\$98.65	\$81.57	\$70.23	\$62.17
\$	4,000	\$704.16	\$370.33	\$191.63	\$132.15	\$102.49	\$84.75	\$72.97	\$64.60
\$	4,150	\$730.56	\$384.22	\$198.81	\$137.11	\$106.33	\$87.93	\$75.71	\$67.02
\$	4,300	\$756.97	\$398.11	\$206.00	\$142.07	\$110.18	\$91.11	\$78.44	\$69.44
\$	4,450	\$783.37	\$412.00	\$213.18	\$147.02	\$114.02	\$94.28	\$81.18	\$71.86
\$	4,600	\$809.78	\$425.88	\$220.37	\$151.98	\$117.88	\$97.46	\$83.92	\$74.29
\$	4,750	\$836.18	\$439.77	\$227.56	\$156.93	\$121.77	\$100.64	\$86.65	\$76.71
\$	4,900	\$862.59	\$453.66	\$234.74	\$161.89	\$125.55	\$103.82	\$89.39	\$79.13
\$	5,050	\$889.00	\$467.55	\$241.93	\$166.84	\$129.39	\$107.00	\$92.12	\$81.55
\$	5,200	\$915.40	\$481.43	\$249.11	\$171.80	\$133.24	\$110.17/	\$94.86	\$83.98
\$	5,350	\$941.81	\$495.32	\$256.30	\$176.76	\$137.08	\$113.35	\$97.60	\$86.40
\$	5,500	\$968.21	\$509.21	\$263.49	\$182.71	\$140.92	\$116.53	\$100.33	\$88.82
\$	5,650	\$994.62	\$523.10	\$270.67	\$188.67	\$144.77	\$119.71	\$103.07	\$91.24
\$	5,800	\$1,021.03	\$536.98	\$277.86	\$ 191.62	\$148.61	\$122.89	\$105.81	\$93.67
\$	5,950	\$1,047.43	\$550.87	\$285.04	\$196.58	\$152.45	\$126.06	\$108.54	\$96.09
\$	6,100	\$1,073.84	\$564.76	\$292.23	\$201.53	\$156.30	3129,24	\$111.28	\$98.51
\$	6,250	\$1,100.24	\$578.65	\$299.42	\$206.49	\$160.14	\$132.42	\$114.02	\$100.93
\$	6,400	\$1,126.65	\$592.54	\$306.60	\$211.45	\$163.98	\$135.60	\$116.75	\$103.35
\$	6,550	\$1,153.06	\$606.42	\$313.79	\$216,40	\$167.83	\$138.78	\$119.49	\$105.78
\$	6,700	\$1,179.46	\$620.31	\$320.97	\$221.38	\$171.67	\$141.95	\$122.22	\$108.20
\$	6,850	\$1,205.87	\$634.20	\$328.16	\$226.31	\$175.51	\$145.13	\$124.96	\$110.62
\$	7,000	\$1,232.27	\$648.09	\$335.35	\$231.27	\$179.36	\$148.31	\$127.70	\$113.04
\$	7,150	\$1,258.68	\$661.97	\$342.53	\$236.23	\$183.20	\$151.49	\$130.43	\$115.47
\$	7,300	\$1,285.08	\$675.86	\$349.72	\$241.18	\$187.04	\$154.67	\$133.17	\$117.89
\$	7,450 7,600	\$1,311.49	\$689.75	\$356.90	\$246,74	\$190.89	\$157.85	\$135.91	\$120.31
\$	7,600	\$1,337.90	\$703.84	\$384.09	\$251.09	\$194.73	\$161.02	\$138.64	\$122.73
\$		\$1,364.30	\$717.52	\$371.28	\$256.05	\$198.57	\$164.20	\$141.38	\$125.16
\$	7,900 8,050	\$1,390.71	\$731.41 \$745.30	\$378.46	\$261.00 \$265.96	\$202.42 \$206.26	\$167.38	\$144.12 \$146.85	\$127.58 \$130.00
5	8,050	\$1,417.11 \$1,443.52	\$745.30	\$385.65	\$265.96	\$206.26	\$170.56 \$173.74	\$149.59	\$130.00
	8,350	\$1,469.93	CONTRACTOR STATES	\$400.02	\$275.87	\$213.95		The second secon	THE RESERVE THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.
\$	8,500	\$1,469.93	\$779.07	\$400.02	\$275.87		\$176.91	\$152.32	\$134.85
\$	8,650	\$1,496.33	\$786.96 \$800.85	\$414.39	\$285.78	\$217.79 \$221.63	\$180.09 \$183.27	\$155.06 \$157.80	\$137.27 \$139.69
-	THE PERSON NAMED IN COLUMN		The second second second	Commission	THE RESIDENCE OF THE PERSON NAMED IN COLUMN 1	The second secon	THE RESIDENCE OF THE PERSON OF	STATISTICS OF THE PARTY OF THE	THE RESERVE OF THE PARTY OF THE
\$	8,800	\$1,549.14	5814.74	\$421.58	\$290.74	\$225.48	\$186.45	\$160.53	\$142.11
\$	8,950	\$1,575.55	\$828.62	\$428.76	\$295.69	\$229.32	\$189.63	\$163.27	\$144.54
٦	9,100	\$1,601.95	\$842.51	\$435.95	\$300.65	\$233.16	\$192.80	\$166.01	\$146.96

Monthly Rate Calculator - Same as Cash Tables

Rate:

7.00%

	mount to	12 mos Same as Cash 6 Months Repay	12 mos Same as Cash 12 Months Repay	12 mos Same as Cash 24 Months Repay	12 mos Same as Cash 36 Months Repay	12 mos Same as Cash 48 Months Repay	12 mos Same as Cash 60 Months Repay	12 mos Same as Cash 72 Months Repay	12 mos Same as Cash 84 Months Repay
S	2.500	\$440.10	\$231.46	\$119.77	\$82.60	\$64.06	\$52.97	\$45.61	\$40.37
S	2.650	\$466.50	\$245.35	\$126.95	\$87.55	\$67.90	\$56.15	\$48.34	\$42.80
S	2,800	\$492.91	\$259.23	\$134,14	\$92.51	\$71.74	\$59.32	\$51.08	\$45.22
\$	2,950	\$519.31	\$273.12	\$141.32	\$97.46	\$75.59	\$62.50	\$53.82	\$47.64
S	3,100	\$545.72	\$287.01	\$148.51	\$102.42	\$79.43	\$65.68	\$56.55	\$50.06
S	3,250	\$572.13	\$300.90	\$155.70	\$107.38	\$83.27	\$68.86	\$59.29	\$52.48
\$	3,400	\$598.53	\$314.78	\$162.88	\$112.33	\$87.12	\$72.04	\$62.02	\$54.91
\$	3,550	\$624.94	\$328.67	\$170.07	\$117.29	\$90.95	\$75.21	\$84.76	\$57.33
\$	3,700	\$651.34	\$342.56	\$177.25	\$122.24	\$94.80	\$78.39	\$87.50	\$59.75
\$	3,850	\$677.75	\$356.45	\$184.44	\$127.20	\$98.65	\$81.57	\$70.23	\$62.17
\$	4.000	\$704.16	\$370.33	\$191.63	\$132.15	\$102.49	\$84.75	\$72.97	\$64.60
\$	4,150	\$730.56	\$384.22	\$198.81	\$137.11	\$106.33	\$87.93	\$75.71	\$67.02
\$	4,300	\$756.97	\$398.11	\$206.00	\$142.07	\$110.18	\$91.11	\$78.44	\$69.44
\$	4,450	\$783.37	\$412.00	\$213.18	\$147.02	\$114.02	\$94.28	\$81.18	\$71.86
\$	4.600	\$809.78	\$425.88	\$220.37	\$151.98	\$1/17.86	697.46	\$83.92	\$74.29
S	4,750	\$836.18	\$439.77	\$227.56	\$156.93	\$121.71	\$100.64	\$86.65	\$76.71
S	4,900	\$862.59	\$453.66	\$234.74	\$161.89	9125,55	\$103.82	\$89.39	\$79.13
\$	5.050	\$889.00	\$467.55	\$241.93	\$166.84	\$129 39	\\$107.00	\$92.12	\$81.55
\$	5.200	\$915.40	\$481,43	\$249.11	\$171.80	\$133.24	\$110.17	\$94.86	\$83.98
S	5,350	\$941.81	\$495.32	\$256.30	\$176.76	\$137.08	\$113.85	\$97.60	\$86.40
\$	5,500	\$968.21	\$509.21	\$263.49	\$181.71	\$140.92	\$116.53	\$100.33	\$88.82
S	5,650	\$994.62	\$523.10	\$270.67	\$186.67	\$144.77	\$119.71	\$103.07	\$91.24
\$	5,800	\$1,021.03	\$536.98	\$277.86	\$191.62	\$148.61	\$122.89	\$105.81	\$93.67
S	5,950	\$1,047.43	\$550.87	\$285.04	\$196.58	\$152.45	\$126.06	\$108.54	\$96.09
\$	6,100	\$1,073.84	\$564.76	\$292.23	\$201.53	\$156.20	\$129.24	\$111.28	\$98.51
\$	6,250	\$1,100.24	\$578.65	\$299.42	\$206.49	\$160.14	\$132.42	\$114.02	\$100.93
\$	6,400	\$1,126.65	\$592.54	\$306.60	\$211.45	\$163.98	\$135.60	\$116.75	\$103.35
\$	6,550	\$1,153.06	\$606.42	\$313,79	9216.40	\$167.83	\$138,78	\$119.49	\$105.78
\$	6,700	\$1,179.46	\$620.31	\$320.97	\$221.36	\$171.67	\$141.95	\$122.22	\$108.20
\$	6.850	\$1,205.87	\$634.20	\$328.16	\$226.31	\$175.51	\$145.13	\$124.96	\$110.62
\$	7.000	\$1,232.27	\$648.09	\$335.35	\$231.27	\$179.36	\$148.31	\$127.70	\$113.04
\$	7,150	\$1,258.68	\$661.97	\$342.53	\$236.23	\$183.20	\$151.49	\$130.43	\$115.47
\$	7,300	\$1,285.08	\$675.86	\$349.72	\$241.18	\$187.04	\$154.67	\$133.17	\$117.89
S	7,450	\$1,311.49	\$689.75	\$356.90	\$246/14	\$190.89	\$157.85	\$135.91	\$120.31
S	7,600	\$1,337.90	\$703.64	\$364.09	\$251.09	\$194.73	\$161.02	\$138.64	\$122.73
\$	7,750	\$1,364.30	\$717,52	5371.28	\$256.05	\$198.57	\$164.20	\$141.38	\$125.16
\$	7,900	\$1,390,71	\$731,41/	\$378.46	\$261.00	\$202.42	\$167.38	\$144.12	\$127.58
\$	8,050	\$1,417.11	\$745.30	\$385.65	\$265.96	\$206.26	\$170.56	\$146.85	\$130.00
\$	8,200	\$1,443.52	\$759.19	\$392,83	\$270.92	\$210.10	\$173.74	\$149.59	\$132.42
\$	8,350	\$4,469,93	\$773.07	\$400.02/	\$275.87	\$213.95	\$176.91	\$152.32	\$134.85
\$	8,500	\$1,496,33	\$786.96	\$407.21	\$280.83	\$217.79	\$180.09	\$155.06	\$137.27
\$	8,650	\$ 522.74	\$800.85	\$414.39	\$285.78	\$221.63	\$183.27	\$157.80	\$139.69
\$	8,800	\$1,549.14	\$814:74	\$421.58	\$290.74	\$225.48	\$186.45	\$160.53	\$142.11
\$	8,950	\$1,575.55	\$828.62	\$428.76	\$295.69	\$229.32	\$189.63	\$163.27	\$144.54
\$	9,100	\$1,601.95	\$842.51	\$435.95	\$300.65	\$233.16	\$192.80	\$166.01	\$146.96

Monthly Rate Calculator - Same as Cash Tables

Rate:

8.00%

	mount to	18 mos Same as Cash 6 Months Repay	18 mos Same as Cash 12 Months Repay	18 mos Same as Cash 24 Months Repay	18 mos Same as Cash 36 Months Repay	18 mos Same as Cash 48 Months Repay	18 mos Same as Cash 60 Months Repay	18 mos Same as Cash 72 Months Repay	18 mos Same as Cash 84 Months Repay
S	2.500	\$443.50	\$234.87	\$122.11	\$84.61	\$65.91	\$54.75	\$47.34	\$42.08
\$	2.650	\$470.11	\$248.96	\$129.44	\$89.68	\$69.87	\$58.03	\$50.18	\$44.61
S	2,800	\$496.72	\$263.05	\$136.77	\$94.76	\$73.82	\$61.32	\$53.02	\$47.13
\$	2,950	\$523.33	\$277.15	\$144.09	\$99.84	\$77.78	\$64.60	\$55.88	\$49.66
\$	3,100	\$549.94	\$291.24	\$151.42	\$104.91	\$81.73	\$67.89	\$58.70	\$52.18
\$	3,250	\$576.55	\$305.33	\$158.75	\$109.99	\$85.69	\$71.17	\$61.54	\$54.71
\$	3,400	\$603.16	\$319.42	\$166.07	\$115.07	\$89.64	\$74.45	\$64.38	\$57.23
\$	3,550	\$629.77	\$333.51	\$173.40	\$120.14	\$93.60	\$77.74	\$87.22	\$59.76
\$	3,700	\$656.38	\$347.61	\$180.73	\$125.22	\$97.55	\$81.02	570.06	\$62.28
\$	3,850	\$682.99	\$361.70	\$188.06	\$130.30	\$101.51	\$84,31	\$72.90	\$64.81
\$	4.000	\$709.60	\$375.79	\$195.38	\$135.37	\$105.46	\$87.50	\$75.74	\$67.33
\$	4,150	\$736.21	\$389.88	\$202.71	\$140.45	\$109.42	\$90.88	\$78.58	\$69.86
\$	4,300	\$762.82	\$403.97	\$210.04	\$145.53	\$113.37	\$94.16	\$81.42	\$72.38
\$	4,450	\$789.43	\$418.07	\$217.36	\$150.60	\$117.33	\$97.45	\$84.26	\$74.91
\$	4.600	\$816.04	\$432.16	\$224.69	\$155.68	\$121.28	\$100.73	\$87.11	\$77.43
S	4,750	\$842.65	\$446.25	\$232.02	\$160.76	\$125.24	\$104.02	\$89.95	\$79.96
S	4,900	\$869.26	\$460.34	\$239.34	\$165.83	9129 19	\$107,30	\$92.79	\$82.48
\$	5.050	\$895.87	\$474.43	\$246.67	\$170.91	\$133 15	\$110,59	\$95.63	\$85.01
\$	5.200	\$922.48	\$488.53	\$254.00	\$175.99	\$137.10	\$113.87	\$98.47	\$87.53
S	5,350	\$949.09	\$502.62	\$261.32	\$181.06	\$141.06	\$117/16	\$101.31	\$90.06
\$	5,500	\$975.70	\$516.71	\$268.65	\$186.14	\$145.01	\$120.44	\$104.15	\$92.58
S	5,650	\$1,002.31	\$530.80	\$275.98	\$191.21	\$148.97	\$123.73	\$106.99	\$95.11
\$	5,800	\$1,028.92	\$544.90	\$283.30	\$196.29	\$152.92	\$127.01	\$109.83	\$97.63
S	5,950	\$1,055.53	\$558.99	\$290.63	\$201.37	\$156.88	\$130,30	\$112.67	\$100.16
\$	6,100	\$1,082.14	\$573.08	\$297.96	\$206.44	\$160.83	\$133.58	\$115.51	\$102.68
\$	6,250	\$1,108.75	\$587.17	\$305.28	\$211.62	\$164.79	\$136.87	\$118.35	\$105.21
\$	6,400	\$1,135.36	\$601.26	\$312.61	\$216.60	\$188//4	\$140.15	\$121.19	\$107.73
\$	6,550	\$1,161.97	\$615.36	\$319.94	\$221.67	\$172.70	\$143.44	\$124.03	\$110.26
\$	6,700	\$1,188.58	\$629.45	\$327.26	\$220.75	\$176.65	\$146.72	\$126.87	\$112.78
\$	6.850	\$1,215.19	\$643.54	\$334.59	\$231.83	\$180.61	\$150.00	\$129.71	\$115.31
\$	7.000	\$1,241.80	\$657.63	\$341.92	\$236.90	\$184.56	\$153.29	\$132.55	\$117.83
\$	7,150	\$1,268.41	\$671.72	\$349.25	\$241.98	\$188.52	\$156.57	\$135.39	\$120.36
\$	7,300	\$1,295.02	\$685.82	\$356.57	\$247.06	\$192.47	\$159.86	\$138.23	\$122.88
\$	7,450	\$1,321.63	\$699.91	\$363.90	\$252/13	\$196.43	\$163.14	\$141.07	\$125.41
S	7,600	\$1,348.24	\$714,00	\$371.23	3257.21	\$200.38	\$166.43	\$143.91	\$127.93
\$	7,750	\$1,374.85	\$728.09 /	\$378.55	\$262.29	\$204.34	\$169.71	\$146.75	\$130.46
\$	7,900	\$1,401.46	\$742.19/	\$585.88	\$267.36	\$208.29	\$173.00	\$149.59	\$132.98
\$	8,050	\$1,428.07	\$756.28	\$393.21	\$272.44	\$212.25	\$176.28	\$152.43	\$135.51
\$	8,200	\$1,454.68	\$770.37	\$400.53	\$277.51	\$216.20	\$179.57	\$155.27	\$138.03
\$	8,350	\$1,481.29	\$784,46	\$407.86	\$282.59	\$220.16	\$182.85	\$158.11	\$140.56
\$	8,500	\$1,507.90	\$798.55	\$415.19	\$287.67	\$224.11	\$186.14	\$160.96	\$143.08
\$	8,650	\$,534.51	\$812.65	\$422.51	\$292.74	\$228.07	\$189.42	\$163.80	\$145.61
\$	8,800	\$1,561.12	5826.74	\$429.84	\$297.82	\$232.02	\$192.71	\$166.64	\$148.13
\$	8,950	\$1,587.73	\$840.83	\$437.17	\$302.90	\$235.98	\$195.99	\$169.48	\$150.66
\$	9,100	\$1,614.34	\$854.92	\$444.49	\$307.97	\$239.93	\$199.28	\$172.32	\$153.18

ENERGY SAVINGS



Can vary widely due to unique installation and environmental conditions
As equipment deteriorates, so does the SEER


1.5 Ton Cooling Unit - Annual Energy Savings

										Ex	istir	ng SE	ER											
			4		5		6		7	8		9		10		11		12		13		14		15
	18	\$	245	\$	182	\$	140	\$	110	\$ 88	\$	70	\$	56	\$	45	\$	35	\$	27	\$	20	\$	14
	17.5	\$	243	\$	180	\$	138	\$	108	\$ 86	\$	68	\$	54	\$	43	\$	33	\$	25	\$	18	\$	12
	17	\$	241	\$	178	\$	136	\$	106	\$ 83	\$	66	\$	52	\$	40	\$	31	\$	23	\$	16	\$	10
	16.5	\$	239	\$	176	\$	134	\$	104	\$ 81	S	64	S	50	\$	38	\$	29	S	21	\$	14	\$	8
	16	\$	236	\$	173	\$	131	\$	101	\$ 79	\$	61	\$	47	S	36	\$	26	3	18	\$	11	\$	5
	15.5	S	234	\$	171	\$	129	\$	99	\$ 76	\$	59	\$	45	S	33	\$	24	5	16	15	9	\$	3
œ	15	\$	231	\$	168	\$	126	\$	96	\$ 74	\$	56	S	42	\$	31	\$	24	15	13	\$	6	5	-
SEER	14.5	S	228	\$	165	\$	123	\$	93	\$ 71	\$	53	\$	39	5	28	\$	18	S	10	\$	A3		
S	14	S	225	\$	162	\$	120	S	90	\$ 68	\$	50	\$	36	\$	25	\$	15	5	1	\$	(-)		
New	13.5	S	222	\$	159	\$	117	\$	87	\$ 64	\$	47	\$	33	6	21	\$	12	S	4	1			
z	13	S	218	\$	155	\$	113	\$	83	\$ 61	\$	43	\$	29	5	18	5	8	\$	-				
	12.5	S	214	\$	151	S	109	S	79	\$ 57	\$	39	\$	25	S	14	\$	4	1		1			
	12	\$	210	\$	147	\$	105	S	75	\$ 53	\$	35	S	21	S	10	5	-	-					
	11.5	S	205	\$	142	\$	100	\$	70	\$ 48	\$	30	\$	16	5	5	1							
	11	5	200	\$	137	5	95	\$	65	\$ 43	5	25	\$	11	5	-		1						
	10.5	\$	195	\$	132	\$	90	\$	60	\$ 38	\$	20	\$	6			1	1	/					
	10	\$	189	\$	126	\$	84	\$	54	\$ 32	\$	14	5	1-1		1		\						
	18,000	вт	UH Co	olir	ng Uni	t							/	1)						

18,000 BTUH Cooling Unit \$ 0.100 Electric Rate

700 Annual Operating Hours

1.5 Ton Cooling Unit - Average Monthly Savings



18,000 BTUH Cooling Unit

\$ 0.100 Electric Rate

Can vary widely due to unique installation and environmental conditions
As equipment deteriorates, so does the SEER


2 Ton Cooling Unit - Annual Energy Savings

										Ex	istir	ng SE	ER											
			4		5		6		7	8		9		10		11		12		13		14		15
	18	\$	327	\$	243	\$	187	\$	147	\$ 117	\$	93	\$	75	\$	59	\$	47	\$	36	\$	27	\$	19
	17.5	\$	324	\$	240	\$	184	\$	144	\$ 114	\$	91	\$	72	\$	57	\$	44	\$	33	\$	24	\$	16
	17	\$	321	\$	237	\$	181	\$	141	\$ 111	\$	88	\$	69	\$	54	\$	41	\$	30	\$	21	\$	13
	16.5	S	318	\$	234	\$	178	\$	138	\$ 108	\$	85	\$	66	\$	51	\$	38	\$	27	\$	18	\$	10
	16	\$	315	\$	231	\$	175	\$	135	\$ 105	\$	82	\$	63	\$	48	\$	35	5	24	\$	15	\$	7
	15.5	\$	312	\$	228	\$	172	S	132	\$ 102	\$	78	\$	60	S	44	\$	32	5	21	A	12	\$	4
œ	15	\$	308	\$	224	S	168	S	128	\$ 98	\$	75	\$	56	S	41	\$	28	15	17	\$	8	5	
SEER	14.5	\$	304	\$	220	\$	164	S	124	\$ 94	\$	71	S	52	5	37	\$	24	\$	13/	\$	4		
50	14	S	300	\$	216	\$	160	S	120	\$ 90	\$	67	\$	48	S	33	\$	20	15/	/9	5	1-1		
New	13.5	\$	296	\$	212	\$	156	S	116	\$ 86	S	62	\$	44	5	28	\$	16	S	5				
Z	13	\$	291	\$	207	\$	151	S	111	\$ 81	\$	57	\$	39	5	23	3	11	5	-				
	12.5	\$	286	\$	202	\$	146	S	106	\$ 76	\$	52	\$	34	\$	18	\$	6	1		1			
	12	S	280	S	196	\$	140	S	100	\$ 70	S	47	S	28	S	13	S	-						
	11.5	\$	274	\$	190	\$	134	S	94	\$ 64	\$	41	\$	22	5	7	1							
	11	\$	267	\$	183	\$	127	S	87	\$ 57	\$	34	\$	15	\$	-		1						
	10.5	\$	260	\$	176	\$	120	\$	80	\$ 50	\$	27	\$	8		(1	1						
	10	\$	252	\$	168	\$	112	\$	72	\$ 42	\$	19	5	1- (1		\						
													1	- 1		١.								

24,000 BTUH Cooling Unit \$ 0.100 Electric Rate

700 Annual Operating Hours

2 Ton Cooling Unit - Average Monthly Sayings



24,000 BTUH Cooling Unit

\$ 0.100 Electric Rate

42

Can vary widely due to unique installation and environmental conditions
As equipment deteriorates, so does the SEER

2.5 Ton Cooling Unit - Annual Energy Savings


										Ex	isti	ng SE	ER										
			4		5		6		7	8		9		10		11		12		13		14	15
	18	\$	408	\$	303	\$	233	\$	183	\$ 146	\$	117	\$	93	\$	74	\$	58	\$	45	\$	33	\$ 23
	17.5	\$	405	\$	300	\$	230	\$	180	\$ 143	\$	113	\$	90	\$	71	\$	55	\$	42	\$	30	\$ 20
	17	\$	401	\$	296	\$	226	\$	176	\$ 139	\$	110	\$	86	\$	67	\$	51	\$	38	\$	26	\$ 16
	16.5	S	398	\$	293	\$	223	\$	173	\$ 135	\$	106	\$	83	\$	64	\$	48	\$	34	\$	23	\$ 13
	16	\$	394	\$	289	\$	219	\$	169	\$ 131	\$	102	\$	79	\$	60	\$	44	5	30	\$	19	\$ 9
	15.5	\$	390	\$	285	\$	215	S	165	\$ 127	\$	98	\$	75	S	55	\$	40	5	26	1	15	\$ 5
œ	15	\$	385	\$	280	S	210	S	160	\$ 123	\$	93	\$	70	S	51	\$	35	15	22	\$	10	\$
SEER	14.5	\$	380	\$	275	\$	205	S	155	\$ 118	\$	89	\$	65	5	46	\$	30	\$	17/	\$	5	
S	14	S	375	\$	270	\$	200	\$	150	\$ 113	\$	83	\$	60(\$	41	\$	25	5	12	\$	1-7	
New	13.5	\$	369	\$	264	\$	194	S	144	\$ 107	\$	78	S	54	5	35	\$	49	S	6	/		
Z	13	\$	363	\$	258	\$	188	S	138	\$ 101	\$	72	\$	48	5	29	3	13	5	-			
	12.5	\$	357	\$	252	\$	182	S	132	\$ 95	\$	65	\$	42	\$	23	\$	7	1		/		
	12	S	350	S	245	5	175	S	125	\$ 88	S	58	S	35	S	16	S	-		_			
	11.5	\$	342	\$	237	\$	167	S	117	\$ 80	\$	51	\$	27	5	8	1						
	11	\$	334	\$	229	\$	159	S	109	\$ 72	S	42	\$	19	\$	-		1					
	10.5	\$	325	\$	220	\$	150	S	100	\$ 63	\$	33	\$	10	-		1	1					
	10	\$	315	\$	210	\$	140	\$	90	\$ 53	\$	23	5	1-1		1	- 0	\					
	20.000	ОТ		- Ha	a Hab									1)					

30,000 BTUH Cooling Unit

\$ 0.100 Electric Rate

700 Annual Operating Hours

2.5 Ton Cooling Unit - Average Monthly Savings



30,000 BTUH Cooling Unit

\$ 0.100 Electric Rate

Can vary widely due to unique installation and environmental conditions
As equipment deteriorates, so does the SEER


3 Ton Cooling Unit - Annual Energy Savings

									Ex	isti	ng SE	ER										
			4		5	6		7	8		9		10		11		12		13		14	15
	18	\$	490	\$	364	\$ 280	\$	220	\$ 175	\$	140	\$	112	\$	89	\$	70	\$	54	\$	40	\$ 28
	17.5	\$	486	\$	360	\$ 276	\$	216	\$ 171	\$	136	\$	108	\$	85	\$	66	\$	50	\$	36	\$ 24
	17	\$	482	\$	356	\$ 272	\$	212	\$ 167	\$	132	\$	104	\$	81	\$	62	\$	46	\$	32	\$ 20
	16.5	S	477	\$	351	\$ 267	\$	207	\$ 162	\$	127	\$	99	\$	76	\$	57	\$	41	\$	27	\$ 15
	16	\$	473	\$	347	\$ 263	\$	203	\$ 158	\$	123	\$	95	\$	72	\$	53	5	36	\$	23	\$ 11
	15.5	\$	467	\$	341	\$ 257	S	197	\$ 152	\$	117	\$	89	S	67	\$	47	5	31	1	17	\$ 5
œ	15	\$	462	\$	336	\$ 252	S	192	\$ 147	\$	112	\$	84	S	61	\$	42	15	26	\$	12	\$
SEER	14.5	\$	456	\$	330	\$ 246	S	186	\$ 141	\$	106	\$	78	5	55	\$	36	\$	20	\$	6	
	14	S	450	\$	324	\$ 240	\$	180	\$ 135	\$	100	\$	72	\$	49	\$	30	15/	74	5/	1-7	
New	13.5	\$	443	\$	317	\$ 233	S	173	\$ 128	S	93	S	65	18	42	\$	23	S	7			
Z	13	\$	436	\$	310	\$ 226	S	166	\$ 121	\$	86	\$	58	5	35	3	16	5	-			
	12.5	\$	428	\$	302	\$ 218	S	158	\$ 113	\$	78	\$	50	\$	27	\$	8	1		/		
	12	S	420	S	294	\$ 210	S	150	\$ 105	S	70	S	42	S	19	S	-					
	11.5	\$	411	\$	285	\$ 201	S	141	\$ 96	\$	61	\$	33	\$	10	1						
	11	5	401	\$	275	\$ 191	S	131	\$ 86	\$	51	\$	23	S	-		1					
	10.5	\$	390	\$	264	\$ 180	\$	120	\$ 75	5	40	\$	12			1	1					
	10	\$	378	\$	252	\$ 168	\$	108	\$ 63	\$	28	5	1-		1	1	\					
												1	_									

36,000 BTUH Cooling Unit \$ 0.100 Electric Rate

700 Annual Operating Hours

3 Ton Cooling Unit - Average Monthly Sayings



36,000 BTUH Cooling Unit

\$ 0.100 Electric Rate

Can vary widely due to unique installation and environmental conditions
As equipment deteriorates, so does the SEER

3.5 Ton Cooling Unit - Annual Energy Savings


								Ex	isti	ng SE	ER										
			4	5	6		7	8		9		10		11		12		13		14	15
	18	\$	572	\$ 425	\$ 327	\$	257	\$ 204	\$	163	\$	131	\$	104	\$	82	\$	63	\$	47	\$ 33
	17.5	\$	567	\$ 420	\$ 322	\$	252	\$ 200	\$	159	\$	126	\$	99	\$	77	\$	58	\$	42	\$ 28
	17	\$	562	\$ 415	\$ 317	\$	247	\$ 195	\$	154	\$	121	\$	94	\$	72	\$	53	\$	37	\$ 23
	16.5	S	557	\$ 410	\$ 312	\$	242	\$ 189	\$	148	\$	116	\$	89	\$	67	\$	48	\$	32	\$ 18
	16	\$	551	\$ 404	\$ 306	\$	236	\$ 184	\$	143	\$	110	\$	84	\$	61	5	42	\$	26	\$ 12
	15.5	\$	545	\$ 398	\$ 300	S	230	\$ 178	\$	137	\$	104	S	78	\$	55	5	36	1	20	\$ 6
œ	15	\$	539	\$ 392	\$ 294	S	224	\$ 172	\$	131	\$	98	\$	71	\$	49	15	30	\$	14	\$
SEER	14.5	\$	532	\$ 385	\$ 287	S	217	\$ 165	\$	124	\$	91	5	65	\$	42	\$	23	\$	A7	
S	14	S	525	\$ 378	\$ 280	\$	210	\$ 158	\$	117	\$	844	5	57	\$	35	15/	16	5/	1-7	
New	13.5	\$	517	\$ 370	\$ 272	S	202	\$ 150	S	109	S	76	5	49	\$	27	S	8			
Z	13	\$	509	\$ 362	\$ 264	S	194	\$ 141	\$	101	\$	68	\$	41	3	19	5	-			
	12.5	\$	500	\$ 353	\$ 255	S	185	\$ 132	\$	91	\$	59	\$	32	\$	10	1		/		
	12	S	490	\$ 343	\$ 245	S	175	\$ 123	S	82	S	49	S	22	S	-					
	11.5	\$	479	\$ 332	\$ 234	S	164	\$ 112	\$	71	\$	38	\$	12	1	0					
	11	\$	468	\$ 321	\$ 223	S	153	\$ 100	\$	59	\$	27	\$	-		1					
	10.5	\$	455	\$ 308	\$ 210	\$	140	\$ 88	\$	47	\$	14			1	1					
	10	\$	441	\$ 294	\$ 196	\$	126	\$ 74	\$	33	5	4- (1	1	1					
											1										

42,000 BTUH Cooling Unit

\$ 0.100 Electric Rate

700 Annual Operating Hours

3.5 Ton Cooling Unit - Average Monthly Savings



42,000 BTUH Cooling Unit

\$ 0.100 Electric Rate

Can vary widely due to unique installation and environmental conditions
As equipment deteriorates, so does the SEER

4 Ton Cooling Unit - Annual Energy Savings

										Ex	isti	ng SE	ER										
			4		5		6		7	8		9		10		11		12		13		14	15
	18	\$	653	\$	485	\$	373	\$	293	\$ 233	\$	187	\$	149	\$	119	\$	93	\$	72	\$	53	\$ 37
	17.5	\$	648	\$	480	\$	368	\$	288	\$ 228	\$	181	\$	144	\$	113	\$	88	\$	66	\$	48	\$ 32
	17	\$	642	\$	474	\$	362	\$	282	\$ 222	\$	176	\$	138	\$	108	\$	82	\$	61	\$	42	\$ 26
	16.5	\$	636	\$	468	\$	356	\$	276	\$ 216	\$	170	\$	132	\$	102	\$	76	\$	55	\$	36	\$ 20
	16	\$	630	\$	462	\$	350	S	270	\$ 210	\$	163	\$	126	S	95	\$	70	S	48	S	30	\$ 14
	15.5	\$	623	\$	455	\$	343	S	263	\$ 203	\$	157	\$	119	S	89	\$	63	\$	42	5	23	\$ 7
œ	15	\$	616	\$	448	\$	336	\$	256	\$ 196	S	149	\$	112	\$	81	\$	56	3	34	9	16	\$ -
SEER	14.5	\$	608	\$	440	\$	328	\$	248	\$ 188	\$	142	\$	104	So	74	\$	48	\$	/27	15	A 8	
	14	\$	600	\$	432	\$	320	S	240	\$ 180	S	133	\$	96	5	65	\$	40	5/	18	5	1	
New	13.5	\$	591	\$	423	\$	311	S	231	\$ 171	\$	124	\$	87	\$	57	\$	31	\$	/10	1		
Z	13	\$	582	\$	414	\$	302	\$	222	\$ 162	\$	115	\$	78	5	47	15	22	\$	-			
	12.5	S	571	5	403	5	291	S	211	\$ 151	\$	105	\$	67	S	37	5	11			1		
	12	\$	560	\$	392	\$	280	S	200	\$ 140	\$	93	\$	56	\$	25	\$	-	-	_			
	11.5	S	548	\$	380	\$	268	\$	188	\$ 128	\$	81	\$	44	5	13	1	-					
	11	5	535	\$	367	\$	255	S	175	\$ 115	\$	68	\$	31	S	-			-				
	10.5	S	520	\$	352	S	240	\$	160	\$ 100	\$	53	\$	16	_	2 0	1		1				
	10	s	504	\$	336	\$	224	\$	144	\$ 84	\$	37	So	1-1		1							

48,000 BTUH Cooling Unit \$ 0.100 Electric Rate

700 Annual Operating Hours

4 Ton Cooling Unit - Average Monthly Savings

									-		EX	isti	ng SE	ER	11000					
			4		5		6		67	1	8	1	9		10	11	12	13	14	15
	18	S	54	\$	40	\$	31	\$	24	\$	19	\$	16	5	12	\$ 10	\$ 8	\$ 6	\$ 4	\$ 3
	17.5	\$	54	\$	40	\$	31	\$	24	\$	19	\$	15	\$	12	\$ 9	\$ 7	\$ 6	\$ 4	\$ 3
	17	\$	54	\$	40	\$	38	5	24	5	19	5	15	\$	12	\$ 9	\$ 7	\$ 5	\$ 4	\$ 2
	16.5	S	53	\$	39	\$	30	\$	23	\$	18	S	14	\$	11	\$ 8	\$ 6	\$ 5	\$ 3	\$ 2
	16	\$	53	\$	39	5/	29 29	5	23	5	18	5	14	S	11	\$ 8	\$ 6	\$ 4	\$ 3	\$ 1
	15.5	S	52	5	38	ş	/29	S	22	5	17	\$	13	\$	10	\$ 7	\$ 5	\$ 3	\$ 2	\$ 1
œ	15	S	54	5	37	5	28	5	21	\$	16	\$	12	S	9	\$ 7	\$ 5	\$ 3	\$ 1	\$ -
New SEER	14.5	\$	51	8	37	\$	27	\$	21	3	16	\$	12	\$	9	\$ 6	\$ 4	\$ 2	\$ 1	
S	14	S	50	\$	36	\$	27	5	20	15	15	\$	11	\$	8	\$ 5	\$ 3	\$ 2	\$ -	
9	13.5	S	49	\$	35	\$	26	\$	19	\$	14	S	10	S	7	\$ 5	\$ 3	\$ 1		
Z	13		48	\$	34	\$	25	\$	18	\$	13	\$	10	\$	6	\$ 4	\$ 2	\$ *		
	12.5	\$	48	\$	34	3	24	\$	18	\$	13	\$	9	\$	6	\$ 3	\$ 1			
	12		47	3	33	\$	23	S	17	\$	12	S		\$	5	\$ 2	\$ -			
	11.5		46	\$	32	S	22	\$	16	\$	11	\$	7	\$	4	\$ 1				
	11		45	\$	31	\$	21	\$	15	\$	10	\$	6	\$	3	\$ -				
	10.5		43	\$	29	\$	20	\$	13	\$	8	\$	4	\$	1					
	10	S	42	\$	28	\$	19	\$	12	\$	7	\$	3	\$	77					

48,000 BTUH Cooling Unit

\$ 0.100 Electric Rate

Can vary widely due to unique installation and environmental conditions
As equipment deteriorates, so does the SEER


5 Ton Cooling Unit - Annual Energy Savings

								Ex	isti	ng SE	ER										
			4	5	6		7	8		9		10		11		12		13		14	15
	18	\$	817	\$ 607	\$ 467	\$	367	\$ 292	\$	233	\$	187	\$	148	\$	117	\$	90	\$	67	\$ 47
	17.5	\$	810	\$ 600	\$ 460	\$	360	\$ 285	\$	227	\$	180	\$	142	\$	110	\$	83	\$	60	\$ 40
	17	\$	803	\$ 593	\$ 453	\$	353	\$ 278	\$	220	\$	173	\$	135	\$	103	\$	76	\$	53	\$ 33
	16.5	S	795	\$ 585	\$ 445	\$	345	\$ 270	\$	212	\$	165	\$	127	\$	95	\$	69	\$	45	\$ 25
	16	\$	788	\$ 578	\$ 438	\$	338	\$ 263	\$	204	\$	158	\$	119	\$	88	5	61	\$	38	\$ 18
	15.5	\$	779	\$ 569	\$ 429	S	329	\$ 254	\$	196	\$	149	\$	111	\$	79	5	52	1	29	\$ 9
œ	15	\$	770	\$ 560	\$ 420	S	320	\$ 245	\$	187	\$	140	\$	102	\$	70	15	43	3	20	\$
SEER	14.5	\$	760	\$ 550	\$ 410	S	310	\$ 235	\$	177	\$	130	5	92	\$	60	S	33	\$	A10	
	14	S	750	\$ 540	\$ 400	\$	300	\$ 225	\$	167	\$	120(\$	82	\$	50	15/	23	\$/	1-7	
New	13.5	\$	739	\$ 529	\$ 389	S	289	\$ 214	\$	156	S	109	8	71	\$	39	S	12			
Z	13	\$	727	\$ 517	\$ 377	S	277	\$ 202	\$	144	\$	97	\$	59	3	27	5	-	-		
	12.5	\$	714	\$ 504	\$ 364	S	264	\$ 189	\$	131	\$	84	\$	46	\$	14	1		/		
	12	S	700	\$ 490	\$ 350	S	250	\$ 175	\$	117	S	70	\$	32	S	-					
	11.5	\$	685	\$ 475	\$ 335	S	235	\$ 160	\$	101	\$	55	\$	17	1						
	11	\$	668	\$ 458	\$ 318	\$	218	\$ 143	\$	85	\$	/38	\$	-							
	10.5	\$	650	\$ 440	\$ 300	\$	200	\$ 125	\$	67	\$	20			1	1					
	10	\$	630	\$ 420	\$ 280	\$	180	\$ 105	\$	47	5	1- (1		1					

60,000 BTUH Cooling Unit \$ 0.100 Electric Rate

700 Annual Operating Hours

5 Ton Cooling Unit - Average Monthly Sayings



60,000 BTUH Cooling Unit \$ 0.100 Electric Rate 700 Annual Operating Hours

Can vary widely due to unique installation and environmental conditions
As equipment deteriorates, so does the SEER

1 Ton Heat Pump Air-to-Air - Annual Energy Savings

										Ex	istir	ng SE	ER										
			4		5		6		7	8		9		10		11		12		13		14	15
	18	\$ 1,9	70	\$	1,463	\$	1,126	\$	884	\$ 704	\$	563	\$	450	\$	358	\$	281	\$	216	\$	161	\$ 113
	17.5	\$ 1,9	65	\$	1,447	\$	1,120	\$	879	\$ 698	\$	558	\$	811	\$	908	\$	833	\$	200	\$	145	\$ 96
	17	\$ 1,9	37	\$	1,430	\$	1,093	\$	851	\$ 670	\$	530	\$	805	\$	908	\$	833	\$	183	\$	128	\$ 79
	16.5	\$ 1,9	19	\$	1,412	\$	1,074	\$	833	\$ 652	\$	512	\$	798	S	908	\$	833	\$	165	\$	110	\$ 61
	16	\$ 1,8	99	\$	1,393	\$	1,055	\$	814	\$ 633	\$	492	\$	791	\$	908	\$	833	5	146	\$	90	\$ 42
	15.5	\$ 1,8	79	\$	1,373	\$	1,035	\$	794	\$ 613	\$	472	\$	784	\$	908	\$	833	\$	126	1	70	\$ 22
œ	15	\$ 1,8	57	\$	1,351	\$	1,013	S	772	\$ 591	\$	450	\$	338	\$	246	\$	169	5	104	3	48	\$ -
Ш	14.5	\$ 1,8	34	\$	1,327	\$	990	\$	749	\$ 568	\$	427	\$	314	5	222	\$	146	\$	81/	\$	25	
New SEER		\$ 1,8		\$	1,302	\$	965	\$	724	\$ 543	\$	402	\$	289	\$	197	\$	21	15/	56	5/	1-)	
ě		\$ 1.7			1,276	\$	938	\$	697	\$ 516	\$	375	S	263	15	171	\$	94	\$	29	1		
Z		\$ 1,7		\$	1,247	\$	909	S	668	\$ 487	\$	346	\$	234	\$	142	S	65	\$	-			
	12.5	\$ 1,7	22	\$	1,216	\$	878	S	637	\$ 456	\$	315	\$	203	S	111	\$	34	1		/		
	12	\$ 1,6	88	\$	1,182	\$	844	S	603	\$ 422	\$	281	\$	169	\$	77	5	-					
	11.5	\$ 1,6	52	\$	1,145	\$	808	S	566	\$ 385	\$	245	\$	132	\$	40	-	1	1				
	11	\$ 1,6	12	\$	1,105	\$	767	S	526	\$ 345	\$	205	\$	92	\$	-				>			
	10.5	\$ 1,5	68	\$	1,061	\$	724	\$	482	\$ 302	\$	161	S	48		1		1					
	10	\$ 1,5	20	S	1,013	S	675	\$	434	\$ 253	\$	113	5	4- [1	. 1	1					
	12,000	втин	Cod	olir	na Unit	t							1	0)					
					-									1	1			1					

\$ 0.100 Electric Rate

700 Annual Cooling Operating Hours 2750 Annual Heating Operating Hours

1 Ton Heat Pump Air-to-Air - Annual Energy Savings

										e /	Ex	istir	g SE	ER								
			4		5		6		1		8		19		10		11	12		13	14	15
	18	\$	164	\$	122	\$	94	5	74	3	59	5	47	\$	38	5	30	\$ 23	\$	18	\$ 13	\$ 9
	17.5	\$	164	\$	121	\$	93	S	73	5	58	5	46	\$	68	\$	76	\$ 69	5	17	\$ 12	\$ 8
	17	S	161	\$	119	\$	91	S	71	\$	56	\$	44	\$	67	S	76	\$ 69	\$	15	\$ 11	\$ 7
	16.5	\$	160	\$	118	5/	90	5	69	3	54	5	43	\$	67	S	76	\$ 69	\$	14	\$ 9	\$ 5
	16	\$	158	3	116	3	88	5	/68	\$	53	\$	41	\$	66	\$	76	\$ 69	\$	12	\$ 8	\$ 4
	15.5	\$	1.87	\$	114	5	86/	S/	66	5	/51	\$	39	\$	65	\$	76	\$ 69	\$	10	\$ 6	\$ 2
œ	15	\$	155	15	113	\$	84	5	64	\$	49	S	38	S	28	\$	20	\$ 14	S	9	\$ 4	\$ -
SEER	14.5	\$	153	\$	111	5	82	\$	62	5	47	\$	36	\$	26	\$	19	\$ 12	\$	7	\$ 2	
	14	\$	151	5	109	\$	80	5	_68	\$	45	\$	34	\$	24	S	16	\$ 10	\$	5	\$	
New	13.5	\$	149	\$	106	\$	78	S	58	\$	43	\$	31	\$	22	\$	14	\$ 8	5	2		
z	13	S	146	\$	104	5	76	S	56	\$	41	\$	29	\$	19	\$	12	\$ 5	\$	-		
	12.5	\$	144	\$	101	S	73	S	53	\$	38	\$	26	\$	17	S	9	\$ 3				
	12	S	141	\$	98	5/	7,0	S	50	\$	35	\$	23	\$	14	\$	6	\$ -				
	11.5	S	138	S	95	\$	67	S	47	\$	32	\$	20	\$	11	5	3					
	11	S	134	\$	92	5	64	\$	44	\$	29	S	17	S	8	S	-					
	10.5	\$	131	\$	88	\$	60	\$	40	\$	25	\$	13	\$	4							
	10	S	127	\$	84	\$	56	\$	36	\$	21	\$	9	\$	-							

12,000 BTUH Cooling Unit

\$ 0.100 Electric Rate

Can vary widely due to unique installation and environmental conditions
As equipment deteriorates, so does the SEER

1.5 Ton Heat Pump Air-to-Air - Annual Energy Savings

										Ex	istiı	ng SE	ER										
			4		5		6		7	8		9		10		11		12		13		14	15
	18	\$	1,970	\$	1,463	\$	1,126	\$	884	\$ 704	\$	563	\$	450	\$	358	\$	281	\$	216	\$	161	\$ 113
	17.5	\$	1,965	\$	1,447	\$	1,120	\$	879	\$ 698	\$	558	\$	811	\$	908	\$	833	\$	200	\$	145	\$ 96
	17	\$	1,937	\$	1,430	\$	1,093	\$	851	\$ 670	\$	530	\$	805	\$	908	\$	833	\$	183	\$	128	\$ 79
	16.5	5	1,919	\$	1,412	\$	1,074	\$	833	\$ 652	\$	512	\$	798	\$	908	\$	833	\$	165	\$	110	\$ 61
	16	\$	1,899	\$	1,393	\$	1,055	\$	814	\$ 633	\$	492	\$	791	\$	908	\$	833	5	146	\$	90	\$ 42
	15.5	\$	1,879	\$	1,373	\$	1,035	\$	794	\$ 613	\$	472	\$	784	\$	908	\$	833	\$	126	1	70	\$ 22
œ	15	\$	1,857	\$	1,351	\$	1,013	S	772	\$ 591	\$	450	\$	338	\$	246	\$	169	5	104	\$	48	\$
E	14.5	\$	1,834	\$	1,327	\$	990	\$	749	\$ 568	\$	427	\$	314	5	222	\$	146	\$	81/	\$	25	
New SEER	14	\$	1,809	\$	1,302	\$	965	\$	724	\$ 543	\$	402	\$	289	\$	197	\$	121	15	56	5	11-7	
ě	13.5	\$	1.782	\$	1,276	\$	938	\$	697	\$ 516	\$	375	\$	263	12	171	\$	94 65	\$	29	1		
z	13	\$	1,753	\$	1,247	\$	909	\$	668	\$ 487	\$	346	\$	234	\$	142	5		\$				
	12.5	\$	1,722	\$	1,216	\$	878	S	637	\$ 456	\$	315	\$	203	\$	111	\$	34	1		/		
	12	\$	1,688	\$	1,182	\$	844	S	603	\$ 422	\$	281	\$	169	\$	77	5	-					
	11.5	\$	1,652	\$	1,145	\$	808	S	566	\$ 385	\$	245	\$	1000	\$	40	1	1	M				
	11	\$	1,612	\$	1,105	\$	767	S	526	\$ 345	\$	205	\$	92	\$	-		1		>			
			1,568		1,061	\$	724	\$	482	\$ 302	\$	161	S	48		1		1					
	10	\$	1,520	S	1,013	S	675	\$	434	\$ 253	\$	113	5	4- (1		1					
	18,000	B	TUH Co	oli	ng Uni	t							1	0	1								
	S 0 100	FI	actric F	Dat	0									1	1	and the same	1						

\$ 0.100 Electric Rate

700 Annual Cooling Operating Hours 2750 Annual Heating Operating Hours

1.5 Ton Heat Pump Air-to-Air - Annual Energy Savings

										6	Ex	istir	g SE	ER								
			4		5		6		1		8		9		10		11	12		13	14	15
	18	\$	164	\$	122	\$	94	5	74	3	59	5	47	\$	38	5	30	\$ 23	\$	18	\$ 13	\$ 9
	17.5	\$	164	\$	121	\$	93	S	73	\$	58	5	46	\$	68	\$	76	\$ 69	5	17	\$ 12	\$ 8
	17	S	161	\$	119	\$	91	-5	71	\$	56	\$	44	\$	67	S	76	\$ 69	\$	15	\$ 11	\$ 7
	16.5	\$	160	\$	118	5/	90	5	69	3	54	5	43	\$	67	S	76	\$ 69	\$	14	\$ 9	\$ 5
	16	\$	158	3	116	3	88	S	68	\$	53	\$	41	\$	66	\$	76	\$ 69	\$	12	\$ 8	\$ 4
	15.5	\$	1.87	\$	114	5	86/	SI	66	5	51	\$	39	\$	65	\$	76	\$ 69	\$	10	\$ 6	\$ 2
20	15	\$	155	15	113	\$	84	5	64	\$	49	\$	38	S	28	\$	20	\$ 14	S	9	\$ 4	\$ -
SEE	14.5	\$	153	\$	111	5	82	\$	62	/\$	47	\$	36	\$	26	\$	19	\$ 12	\$	7	\$ 2	
	14	\$	151	5	109	\$	08	5	_60	\$	45	\$	34	\$	24	S	16	\$ 10	\$	5	\$	
ě	13.5	\$	149	\$	106	\$	78	\$	58	\$	43	\$	31	\$	22	\$	14	\$ 8	5	2		
z	13	S	146	\$	104	5	76	S	56	\$	41	\$	29	\$	19	\$	12	\$ 5	\$	-		
	12.5	\$	144	\$	101	S	73	\$	53	\$	38	\$	26	\$	17	S	9	\$ 3				
	12	S	141	\$	98	S	7,0	S	50	\$	35	\$	23	\$	14	\$	6	\$ -				
	11.5	S	138	S	95	\$	67	S	47	\$	32	\$	20	\$	11	5	3					
	11	\$	134	5	92	5	64	S	44	\$	29	S	17	S	8	S	-					
	10.5	\$	131	\$	88	\$	60	\$	40	\$	25	\$	13	\$	4							
	10	\$	127	\$	84	S	56	\$	36	\$	21	\$	9	\$	=							

18,000 BTUH Cooling Unit

\$ 0.100 Electric Rate

Can vary widely due to unique installation and environmental conditions
As equipment deteriorates, so does the SEER

2 Ton Heat Pump Air-to-Air - Annual Energy Savings

									Ex	isti	ng SE	ER										
			4		5	6		7	8		9		10		11		12		13		14	15
	18	\$ 1,97	0	\$ 1,463	\$	1,126	\$	884	\$ 704	\$	563	\$	450	\$	358	\$	281	\$	216	\$	161	\$ 113
	17.5	\$ 1,96	55	\$ 1,447	\$	1,120	\$	879	\$ 698	\$	558	\$	811	\$	908	\$	833	\$	200	\$	145	\$ 96
	17	\$ 1,93	37	\$ 1,430	\$	1,093	\$	851	\$ 670	\$	530	\$	805	\$	908	\$	833	\$	183	\$	128	\$ 79
	16.5	\$ 1,9	9	\$ 1,412	5	1,074	\$	833	\$ 652	\$	512	\$	798	\$	908	\$	833	\$	165	\$	110	\$ 61
	16	\$ 1,89	9	\$ 1,393	\$	1,055	\$	814	\$ 633	\$	492	\$	791	\$	908	\$	833	5	146	\$	90	\$ 42
	15.5	\$ 1,87	9	\$ 1,373	\$	1,035	S	794	\$ 613	\$	472	\$	784	\$	908	\$	833	\$	126	1	70	\$ 22
œ	15	\$ 1,85	7	\$ 1,351	\$	1,013	S	772	\$ 591	\$	450	\$	338	\$	246	\$	169	15	104	8	48	\$
Ш	14.5	\$ 1,83	14	\$ 1,327	\$	990	\$	749	\$ 568	\$	427	\$	314	5	222	\$	146	\$	81	\$	25	
New SEER	14	\$ 1,80	9	\$ 1,302	\$	965	\$	724	\$ 543	\$	402	\$	289	\$	197	\$	21 34 65	15	56	5/	(-)	
Š	13.5	\$ 1.78	32	\$ 1,276	\$	938	\$	697	\$ 516	\$	375	\$	263	12	171	\$	94	\$	29	1		
Z	13	\$ 1,75	3	\$ 1,247	S	909	S	668	\$ 487	\$	346	\$	234	\$	142	S	65	\$	-			
	12.5	\$ 1,72	2	\$ 1,216	S	878	S	637	\$ 456	\$	315	\$	203	\$	111	\$	34	1		/		
	12	\$ 1,68	88	\$ 1,182	\$	844	\$	603	\$ 422	\$	281	\$	169	\$	77	5	-					
	11.5	\$ 1,68	2	\$ 1,145	\$	808	S	566	\$ 385	\$	245	\$	132	\$	40	1	0	-				
	11	\$ 1,6	2	\$ 1,105	S	767	\$	526	\$ 345	\$	205	\$	92	\$	-							
	10.5	\$ 1,56	8	\$ 1,061	\$	724	\$	482	\$ 302	\$	161	S	48				1	/				
	10	\$ 1,52	20	\$ 1,013	S	675	\$	434	\$ 253	\$	113	5	1-		1		1					
	24,000	втин	Cod	oling Un	it							1		1)					
	\$ 0.100	Electri	c R	W 10 20 20		2000 D. C.				1			1	9		1						

700 Annual Cooling Operating Hours 2750 Annual Heating Operating Hours

2 Ton Heat Pump Air-to-Air - Annual Energy Savings

										6	Ex	istir	g SE	ER								
			4		5		6		X		8		9		10		11	12		13	14	15
	18	\$	164	\$	122	\$	94	5	74	3	59	5	47	\$	38	\$	30	\$ 23	\$	18	\$ 13	\$ 9
	17.5	\$	164	\$	121	\$	93	S	73	\$	58	5	46	\$	68	\$	76	\$ 69	\$	17	\$ 12	\$ 8
	17	S	161	\$	119	\$	91	S	71	\$	56	\$	44	\$	67	S	76	\$ 69	S	15	\$ 11	\$ 7
	16.5	\$	160	\$	118	\$/	90	S	69	3	54	\$	43	\$	67	\$	76	\$ 69	\$	14	\$ 9	\$ 5
	16	\$	158	3	116	3	/88	S	/88	\$	53	\$	41	\$	66	\$	76	\$ 69	\$	12	\$ 8	\$ 4
	15.5	S	1.57	\$	114	5	86	S/	66	5	51	\$	39	\$	65	\$	76	\$ 69	\$	10	\$ 6	\$ 2
œ	15	\$	155	15	113	\$	84	5	64	\$	49	\$	38	\$	28	\$	20	\$ 14	S	9	\$ 4	\$ -
SEER	14.5	\$	153	\$	111	S	82	\$	62	5	47	\$	36	\$	26	\$	19	\$ 12	\$	7	\$ 2	
S	14	\$	151	S	109	\$	80	S _	_60	\$	45	\$	34	\$	24	\$	16	\$ 10	S	5	\$	
New	13.5	\$	149	\$	106	\$	78	S	58	\$	43	\$	31	\$	22	\$	14	\$ 8	\$	2		
z	13	s	146	\$	104	5	76	S	56	\$	41	\$	29	\$	19	\$	12	\$ 5	\$	-		
	12.5	S	144	\$	101	S	73	\$	53	\$	38	\$	26	\$	17	S	9	\$ 3				
	12	S	141	\$	98	S	79	S	50	\$	35	\$	23	\$	14	\$	6	\$ -				
	11.5	S	138	S	95	\$	67	S	47	\$	32	\$	20	\$	11	5	3					
	11	\$	134	\$	92	2	64	\$	44	\$	29	S	17	S	8	\$	-					
	10.5	\$	131	\$	88	\$	60	\$	40	\$	25	\$	13	\$	4							
	10	\$	127	\$	84	\$	56	\$	36	\$	21	\$	9	\$	-							

24,000 BTUH Cooling Unit

\$ 0.100 Electric Rate

Can vary widely due to unique installation and environmental conditions
As equipment deteriorates, so does the SEER

2.5 Ton Heat Pump Air-to-Air - Annual Energy Savings

											Ex	istir	ng SE	ER										
			4		5		6		7		8		9		10		11		12		13		14	15
	18	\$	1,970	\$	1,463	\$	1,126	\$	884	\$	704	\$	563	\$	450	\$	358	\$	281	\$	216	\$	161	\$ 113
	17.5	\$	1,965	\$	1,447	\$	1,120	\$	879	\$	698	\$	558	\$	811	\$	908	\$	833	\$	200	\$	145	\$ 96
	17	\$	1,937	\$	1,430	\$	1,093	\$	851	\$	670	\$	530	\$	805	\$	908	\$	833	\$	183	\$	128	\$ 79
	16.5	\$	1,919	\$	1,412	\$	1,074	\$	833	\$	652	\$	512	\$	798	S	908	\$	833	\$	165	\$	110	\$ 61
	16	\$	1,899	\$	1,393	\$	1,055	\$	814	\$	633	\$	492	\$	791	\$	908	\$	833	5	146	5	90	\$ 42
	15.5	\$	1,879	\$	1,373	\$	1,035	S	794	\$	613	\$	472	\$	784	S	908	\$	833	\$	126	2	70	\$ 22
œ	15	\$	1,857	\$	1,351	\$	1,013	S	772	\$	591	\$	450	\$	338	\$	246	\$	169	5	104	3	48	\$
E	14.5	\$	1,834	\$	1,327	\$	990	\$	749	\$	568	\$	427	\$	314	5	222	\$	146	\$	81/	\$	25	
New SEER	14	S	1,809	\$	1,302	\$	965	S	724	\$	543	\$	402	\$	289	S	197	\$	21 24 65	150	56	5/	1-)	
Š	13.5	\$	1,782	\$	1,276	\$	938	\$	697	\$	516	\$	375	S	263	3	171	\$	94	\$	29	11		
z	13	\$	1,753	\$	1,247	\$	909	S	668	5	487	\$	346	\$	234	\$	142	S	65	\$	-			
	12.5	\$	1,722	\$	1,216	\$	878	S	637	\$	456	\$	315	\$	203	\$	111	\$	34	1				
	12	\$	1,688	\$	1,182	\$	844	\$	603	\$	422	\$	281	\$	169	\$	77	5	-					
	11.5	\$	1,652	\$	1,145	\$	808	S	566	\$	385	\$	245	\$	132	\$	40	1	2 3					
	11	5	1,612	\$	1,105	\$	767	\$	526	\$	345	\$	205	\$	92	\$	-							
	10.5	\$	1,568	\$	1,061	\$	724	\$	482	\$	302	\$	161	S	48				1					
	10	\$	1,520	S	1,013	S	675	\$	434	\$	253	\$	113	5	4- (1		1					
	30,000	ВТ	TUH Co	oli	ng Uni	t								1		1)					
	\$ 0.100	Ele	ectric F	Rat	0										1	-	The state of the s	1						
	700	Ar	nual C	00	ling Op	er	ating H	our	5			1		1	1		-							

2.5 Ton Heat Pump Air-to-Air - Annual Energy Savings

2750 Annual Heating Operating Hours

										6	Ex	istir	g SE	ER								
			- 4		5		6		1		8		9		10		11	12		13	14	15
	18	\$	164	\$	122	\$	94	5	74	3	59	5	47	\$	38	5	30	\$ 23	\$	18	\$ 13	\$ 9
	17.5	\$	164	\$	121	\$	93	S	73	\$	58	5	46	\$	68	\$	76	\$ 69	5	17	\$ 12	\$ 8
	17	S	161	\$	119	\$	91	S	71	\$	56	\$	44	\$	67	S	76	\$ 69	\$	15	\$ 11	\$ 7
	16.5	\$	160	\$	118	5/	90	5	69	3	54	5	43	\$	67	S	76	\$ 69	\$	14	\$ 9	\$ 5
	16	\$	158	3	116	3	88	5	/68	\$	53	\$	41	\$	66	\$	76	\$ 69	\$	12	\$ 8	\$ 4
	15.5	\$	1.87	\$	114	5	86/	S/	66	5	51	\$	39	\$	65	\$	76	\$ 69	5	10	\$ 6	\$ 2
œ	15	\$	155	15	113	\$	84	5	64	\$	49	5	38	S	28	\$	20	\$ 14	S	9	\$ 4	\$ -
SEER	14.5	\$	153	\$	111	5	82	S	62	\$	47	\$	36	\$	26	\$	19	\$ 12	S	7	\$ 2	
	14	\$	151	S	109	\$	80	5	60	\$	45	\$	34	\$	24	S	16	\$ 10	S	5	\$ 	
New	13.5	\$	149	\$	106	\$	78	S	58	\$	43	\$	31	\$	22	\$	14	\$ 8	\$	2		
z	13	\$	146	\$	104	5	76	S	56	\$	41	\$	29	\$	19	S	12	\$ 5	\$	-		
	12.5	\$	144	\$	101	S	73	\$	53	\$	38	\$	26	\$	17	S	9	\$ 3				
	12	S	141	\$	98	5/	79	S	50	\$	35	\$	23	\$	14	S	6	\$ -				
	11.5	S	138	S	95	\$	67	S	47	\$	32	\$	20	\$	11	5	3					
	11	S	134	5	92	5	64	S	44	\$	29	S	17	S	8	S	-					
	10.5	\$	131	\$	88	\$	60	\$	40	\$	25	\$	13	\$	4							
	10	\$	127	\$	84	\$	56	\$	36	\$	21	\$	9	\$	-							

30,000 BTUH Cooling Unit

\$ 0.100 Electric Rate

Can vary widely due to unique installation and environmental conditions
As equipment deteriorates, so does the SEER

3 Ton Heat Pump Air-to-Air - Annual Energy Savings

										Ex	istir	ng SE	ER										
			4		5		6		7	8		9		10		11		12		13		14	15
	18	\$	1,970	\$	1,463	\$	1,126	\$	884	\$ 704	\$	563	\$	450	\$	358	\$	281	\$	216	\$	161	\$ 113
	17.5	\$	1,965	\$	1,447	\$	1,120	\$	879	\$ 698	\$	558	\$	811	\$	908	\$	833	\$	200	\$	145	\$ 96
	17	\$	1,937	\$	1,430	\$	1,093	\$	851	\$ 670	\$	530	\$	805	\$	908	\$	833	\$	183	\$	128	\$ 79
	16.5	5	1,919	\$	1,412	\$	1,074	\$	833	\$ 652	\$	512	\$	798	\$	908	\$	833	\$	165	\$	110	\$ 61
	16	\$	1,899	\$	1,393	\$	1,055	\$	814	\$ 633	\$	492	\$	791	\$	908	\$	833	5	146	\$	90	\$ 42
	15.5	\$	1,879	\$	1,373	\$	1,035	S	794	\$ 613	\$	472	\$	784	\$	908	\$	833	S	126	1	70	\$ 22
œ	15	\$	1,857	\$	1,351	\$	1,013	S	772	\$ 591	\$	450	\$	338	\$	246	\$	169	15	104	\$	48	\$
ш	14.5	\$	1,834	\$	1,327	\$	990	\$	749	\$ 568	\$	427	\$	314	5	222	\$	146	\$	81/	\$	125	
New SEER	14	\$	1,809	\$	1,302	\$	965	\$	724	\$ 543	\$	402	\$	289	\$	197	\$	121	15/	56	5/	11-1	
8	13.5	\$	1,782	\$	1,276	\$	938	\$	697	\$ 516	\$	375	\$	263	15	171	\$	94 65	\$	29	1		
Z	13	\$	1,753	\$	1,247	\$	909	\$	668	\$ 487	\$	346	\$	234	\$	142	S	65	\$	-	6		
	12.5	\$	1,722	\$	1,216	\$	878	S	637	\$ 456	\$	315	\$	203	\$	111	\$	34	1		/		
	12	\$	1,688	\$	1,182	\$	844	\$	603	\$ 422	\$	281	\$	169	\$	77	5	-					
	11.5	\$	1,652	\$	1,145	\$	808	S	566	\$ 385	\$	245	\$	132	\$	40	1	2					
	11	\$	1,612	\$	1,105	\$	767	\$	526	\$ 345	\$	205	\$	92	\$	-		1					
	10.5	5	1,568	\$	1,061	\$	724	S	482	\$ 302	\$	161	S	48	_		1	1	/				
	10	\$	1,520	5	1,013	\$	675	\$	434	\$ 253	\$	113	5	1-1					-				
	and the same				5 222									1	- 7))					
	36,000				_	t							-		-		-)	,					
	\$ 0.100	Εŀ	ectric F	₹at	0						-			10									

3 Ton Heat Pump Air-to-Air - Average Monthly Savings

700 Annual Cooling Operating Hours 2750 Annual Heating Operating Hours

										e (Ex	istir	g SE	ER								
			4		5		6		1		8		9		10		11	12		13	14	15
	18	\$	164	\$	122	\$	94	5	74	3	59	5	47	\$	38	5	30	\$ 23	\$	18	\$ 13	\$ 9
	17.5	\$	164	\$	121	\$	93	S	73	5	58	5	46	\$	68	\$	76	\$ 69	5	17	\$ 12	\$ 8
	17	S	161	\$	119	\$	91	S	71	\$	56	\$	44	\$	67	S	76	\$ 69	\$	15	\$ 11	\$ 7
	16.5	\$	160	\$	118	5/	90	5	69	3	54	5	43	\$	67	S	76	\$ 69	\$	14	\$ 9	\$ 5
	16	\$	158	3	116	3	88	S	/68	\$	53	\$	41	\$	66	\$	76	\$ 69	\$	12	\$ 8	\$ 4
	15.5	\$	1.87	\$	114	5	86/	S/	66	5	51	\$	39	\$	65	\$	76	\$ 69	\$	10	\$ 6	\$ 2
œ	15	\$	155	15	113	\$	84	5	64	\$	49	S	38	S	28	\$	20	\$ 14	S	9	\$ 4	\$ -
SEER	14.5	\$	153	\$	111	5	82	\$	62	5	47	\$	36	\$	26	\$	19	\$ 12	\$	7	\$ 2	
S	14	\$	151	5	109	\$	80	5_	68	\$	45	\$	34	\$	24	\$	16	\$ 10	\$	5	\$	
New	13.5	\$	149	\$	106	\$	78	\$	58	\$	43	\$	31	\$	22	\$	14	\$ 8	5	2		
z	13	S	146	\$	104	5	76	S	56	\$	41	\$	29	\$	19	\$	12	\$ 5	\$	-		
	12.5	\$	144	\$	101	S	73	\$	53	\$	38	\$	26	\$	17	S	9	\$ 3				
	12	S	141	\$	98	5/	7,0	S	50	\$	35	\$	23	\$	14	\$	6	\$ -				
	11.5	S	138	S	95	\$	67	S	47	\$	32	\$	20	\$	11	5	3					
	11	\$	134	\$	92	3	64	\$	44	\$	29	S	17	S	8	S	-					
	10.5	\$	131	\$	88	\$	60	\$	40	\$	25	\$	13	\$	4							
	10	\$	127	\$	84	\$	56	\$	36	\$	21	\$	9	\$	-							

36,000 BTUH Cooling Unit

\$ 0.100 Electric Rate

Can vary widely due to unique installation and environmental conditions
As equipment deteriorates, so does the SEER

3.5 Ton Heat Pump Air-to-Air - Annual Energy Savings


							Ex	isti	ng SE	ER										
		4	. 5	6	i	7	8		9		10		11		12		13		14	15
	18	\$ 2,298	\$ 1,707	\$ 1,313	\$	1,032	\$ 821	\$	657	\$	525	\$	418	\$	328	\$	253	\$	188	\$ 131
	17.5	\$ 2,292	\$ 1,688	\$ 1,307	\$	1,026	\$ 815	\$	650	\$	948	\$	1,062	\$	974	\$	234	\$	169	\$ 113
	17	\$ 2,259	\$ 1,669	\$ 1,275	\$	993	\$ 782	\$	618	\$	941	\$	1,062	\$	974	\$	214	\$	149	\$ 93
	16.5	\$ 2,238	\$ 1,647	\$ 1,254	\$	972	\$ 761	\$	597	\$	933	\$	1,062	\$	974	\$	193	\$	128	\$ 72
	16	\$ 2,216	\$ 1,625	\$ 1,231	\$	950	\$ 739	\$	575	\$	926	\$	1,062	\$	974	5	170	\$	106	\$ 49
	15.5	\$ 2,192	\$ 1,601	\$ 1,207	\$	926	\$ 715	\$	551	\$	917	\$	1,062	\$	974	\$	147	1	82	\$ 25
œ	15	\$ 2,167	\$ 1,576	\$ 1,182	\$	900	\$ 689	\$	525	\$	394	\$	287	\$	197	15	121	\$	56	\$
New SEER	14.5	\$ 2,140	\$ 1,549	\$ 1,155	\$	873	\$ 662	\$	498	\$	367	15	259	\$	170	\$	94	\$	29	
S	14	\$ 2,111	\$ 1,520	\$ 1,126	\$	844	\$ 633	\$	469	\$	338	\$	230	\$	141	15/	65	5	11-7	
Š	13.5	\$ 2,079	\$ 1,488	\$ 1,094	\$	813	\$ 602	\$	438	S	306	15	199	\$	109	\$	34	1		
Z	13	\$ 2,046	\$ 1,455	\$ 1,061	S	779	\$ 568	\$	404	\$	273	\$	165	5	76	\$	-			
	12.5	\$ 2,009	\$ 1,418	\$ 1,024	S	743	\$ 532	\$	368	\$	236	\$	129	\$	39	1		/		
	12	\$ 1,970	\$ 1,379	\$ 985	\$	704	\$ 492	\$	328	\$	197	\$	90	5	-					
	11.5	\$ 1,927	\$ 1,336	\$ 942	S	661	\$ 450	\$	285	\$	154	\$	47	1	0 3	1				
	11	\$ 1,880	\$ 1,289	\$ 895	\$	614	\$ 403	\$	239	\$	107	\$	-		1					
	10.5	\$ 1,829	\$ 1,238	\$ 844	\$	563	\$ 352	\$	188	5	56	_		1	1	\mathcal{J}				
	10	\$ 1,773	\$ 1,182	\$ 788	\$	507	\$ 295	\$	131	5	1- (1		1					
											- 10									

42,000 BTUH Cooling Unit

\$ 0.100 Electric Rate

700 Annual Cooling Operating Hours 2750 Annual Heating Operating Hours

3.5 Ton Heat Pump Air-to-Air - Average Monthly Savings



42,000 BTUH Cooling Unit

\$ 0.100 Electric Rate

Can vary widely due to unique installation and environmental conditions As equipment deteriorates, so does the SEER


4 Ton Heat Pump Air-to-Air - Annual Energy Savings

						Ex	istii	ng SE	ER										
		4	5	6	7	8		9		10		11		12		13		14	15
	18	\$ 2,626	\$ 1,951	\$ 1,501	\$ 1,179	\$ 938	\$	750	\$	600	\$	478	\$	375	\$	289	\$	214	\$ 150
	17.5	\$ 2,619	\$ 1,930	\$ 1,494	\$ 1,172	\$ 931	\$	743	\$	1,085	\$	1,215	\$	1,114	\$	267	\$	193	\$ 129
	17	\$ 2,582	\$ 1,907	\$ 1,457	\$ 1,135	\$ 894	\$	706	\$	1,077	\$	1,215	\$	1,114	\$	244	\$	170	\$ 106
	16.5	\$ 2,558	\$ 1,883	\$ 1,433	\$ 1,111	\$ 870	\$	682	\$	1,069	\$	1,215	\$	1,114	\$	220	\$	146	\$ 82
	16	\$ 2,533	\$ 1,857	\$ 1,407	\$ 1,085	\$ 844	\$	657	\$	1,060	\$	1,215	\$	1,114	5	195	\$	121	\$ 56
	15.5	\$ 2,505	\$ 1,830	\$ 1,380	\$ 1,058	\$ 817	\$	629	\$	1,050	\$	1,215	\$	1,114	\$	168	1	93	\$ 29
œ	15	\$ 2,476	\$ 1,801	\$ 1,351	\$ 1,029	\$ 788	\$	600	\$	450	\$	327	\$	225	15	139	\$	64	\$
New SEER	14.5	\$ 2,445	\$ 1,770	\$ 1,320	\$ 998	\$ 757	\$	569	\$	419	5	296	\$	194	\$	107	\$	33	
S	14	\$ 2,412	\$ 1,737	\$ 1,286	\$ 965	\$ 724	\$	536	\$	386	\$	263	\$	161	15	74	5	11-1	
Š	13.5	\$ 2,376	\$ 1,701	\$ 1,251	\$ 929	\$ 688	\$	500	\$	350	3	227	\$	125	\$	38	1		
z	13	\$ 2,338	\$ 1,662	\$ 1,212	\$ 891	\$ 649	\$	462	\$	312	\$	189	5	87	\$	-			
	12.5	\$ 2,296	\$ 1,621	\$ 1,171	\$ 849	\$ 608	\$	420	\$	270	\$	147	\$	45	1		/		
	12	\$ 2,251	\$ 1,576	\$ 1,126	\$ 804	\$ 563	\$	375	\$	225	\$	102	\$	-					
	11.5	\$ 2,202	\$ 1,527	\$ 1,077	\$ 755	\$ 514	\$	326	\$	176	\$	53	1	1					
	11	\$ 2,149	\$ 1,474	\$ 1,023	\$ 702	\$ 460	\$	273	\$	123	\$	-							
	10.5	\$ 2,090	\$ 1,415	\$ 965	\$ 643	\$ 402	\$	214	\$	64				1	/				
	10	\$ 2,026	\$ 1,351	\$ 900	\$ 579	\$ 338	\$	150	5	4-1		1		1					
	48,000	BTUH Co	oling Uni	į					1	1	1								

\$ 0.100 Electric Rate

700 Annual Cooling Operating Hours 2750 Annual Heating Operating Hours

4 Ton Heat Pump Air-to-Air - Average Monthly Savings



48,000 BTUH Cooling Unit

\$ 0.100 Electric Rate

Can vary widely due to unique installation and environmental conditions
As equipment deteriorates, so does the SEER

5 Ton Heat Pump Air-to-Air - Annual Energy Savings

							Existi	ing SE	ER										
		4	5	6	7		8	9		10		11		12		13		14	15
	18	\$ 3,283	\$ 2,439	\$ 1,876	\$ 1,474	\$ 1,17	73 \$	938	\$	750	\$	597	\$	469	\$	361	\$	268	\$ 188
	17.5	\$ 3,274	\$ 2,412	\$ 1,867	\$ 1,465	\$ 1,16	54 \$	929	\$	1,359	\$	1,522	\$	1,396	\$	334	\$	241	\$ 161
	17	\$ 3,228	\$ 2,384	\$ 1,821	\$ 1,419	\$ 1,1	17 \$	883	\$	1,349	\$	1,522	\$	1,396	\$	306	\$	213	\$ 132
	16.5	\$ 3,198	\$ 2,354	\$ 1,791	\$ 1,389	\$ 1,08	37 \$	853	\$	1,339	\$	1,522	\$	1,396	\$	275	\$	183	\$ 102
	16	\$ 3,166	\$ 2,322	\$ 1,759	\$ 1,357	\$ 1,05	55 \$	821	\$	1,328	\$	1,522	\$	1,396	5	244	\$	151	\$ 70
	15.5	\$ 3,132	\$ 2,288	\$ 1,725	\$ 1,323	\$ 1,02	21 \$	787	\$	1,316	\$	1,522	\$	1,395	\$	209	1	117	\$ 36
œ	15	\$ 3,095	\$ 2,251	\$ 1,688	\$ 1,286	\$ 98	35 \$	750	\$	563	\$	409	\$	281	15	173	\$	80	\$ -
Ш	14.5	\$ 3,057	\$ 2,212	\$ 1,650	\$ 1,248	\$ 94	16 \$	712	\$	524	15	370	\$	243	\$	134	\$	142	
New SEER	14	\$ 3,015	\$ 2,171	\$ 1,608	\$ 1,206	\$ 90	5 \$	670	\$	482	\$	329	\$	201	15/	93	5/	1-1	
Š	13.5	\$ 2,970	\$ 2,126	\$ 1,563	\$ 1,161	\$ 86	50 \$	625	\$	438	3	284	\$	156	\$	48	1		
Z	13	\$ 2,922	\$ 2,078	\$ 1,515	\$ 1,113	\$ 8	12 \$	577	\$	390	\$	236	S	108	\$				
	12.5	\$ 2,870	\$ 2,026	\$ 1,463	\$ 1,061	\$ 76	50 \$	525	\$	338	\$	184	\$	56	1		/		
	12	\$ 2,814	\$ 1,970	\$ 1,407	\$ 1,005	\$ 70	4 \$	469	\$	281	\$	128	5	-					
	11.5	\$ 2,753	\$ 1,909	\$ 1,346	\$ 944	\$ 64	12 \$	408	\$	220	\$	67	1	1					
	11	\$ 2,686	\$ 1,842	\$ 1,279	\$ 877	\$ 57	76 \$	341	\$	153	\$	-							
	10.5	\$ 2,613	\$ 1,769	\$ 1,206	\$ 804	\$ 50	3 \$	268	S	80	_			1					
	10	\$ 2,533	\$ 1,688	\$ 1,126	\$ 724	\$ 42	22 \$	188	5	1-1				1	-				
		LC.Withell	NEW 2007							1	-7	1							
	- CONT. O. C. 100 CO.		oling Uni	t					-		1								
	\$ 0.100	Electric F	₹ate							10			1	1					

5 Ton Heat Pump Air-to-Air - Average Monthly Savings

700 Annual Cooling Operating Hours 2750 Annual Heating Operating Hours

										e (Ex	cistir	g SE	ER								
			4		5		6		17		8		9		10		11	12		13	14	15
	18	\$	274	\$	203	\$	156	5	123	3	98	5	78	\$	63	\$	50	\$ 39	\$	30	\$ 22	\$ 16
	17.5	\$	273	\$	201	\$	156	S	122	5	97	5	77	\$	113	\$	127	\$ 116	\$	28	\$ 20	\$ 13
	17	S	269	\$	199	\$	152	S	118	\$	93	\$	74	\$	112	S	127	\$ 116	\$	25	\$ 18	\$ 11
	16.5	\$	266	\$	196	\$	149	S	116	3	91	5	71	\$	112	S	127	\$ 116	\$	23	\$ 15	\$ 9
	16	\$	264	3	193	3	147	5	113	\$	88	\$	68	\$	111	\$	127	\$ 116	\$	20	\$ 13	\$ 6
	15.5	S	281	\$	191	5	144/	SI	110	5	/85	\$	66	\$	110	\$	127	\$ 116	\$	17	\$ 10	\$ 3
œ	15	\$	258	15	188	\$	141	5	107	\$	82	\$	63	S	47	\$	34	\$ 23	S	14	\$ 7	\$ -
SEER	14.5	\$	255	\$	184	S	137	\$	104	\$	79	\$	59	\$	44	\$	31	\$ 20	\$	11	\$ 3	
	14	\$	251	5	181	\$	134	5	101	\$	75	\$	56	\$	40	\$	27	\$ 17	\$	8	\$	
New	13.5	\$	248	\$	177	\$	130	S	97	\$	72	\$	52	\$	36	\$	24	\$ 13	5	4		
z	13	S	244	\$	173	5	126	S	93	\$	68	\$	48	\$	32	\$	20	\$ 9	\$	-		
	12.5	\$	239	\$	169	\$	122	S	88	\$	63	\$	44	\$	28	\$	15	\$ 5				
	12	S	235	\$	164	SI	117	S	84	\$	59	\$	39	S	23	\$	11	\$ -				
	11.5	S	229	\$	159	\$	112	S	79	\$	54	\$	34	\$	18	\$	6					
	11	\$	224	\$	153	3	107	S	73	\$	48	S	28	S	13	\$	2					
	10.5	\$	218	\$	147	\$	101	\$	67	\$	42	\$	22	\$	7							
	10	\$	211	\$	141	\$	94	\$	60	\$	35	\$	16	\$	-							

60,000 BTUH Cooling Unit

\$ 0.100 Electric Rate

Can vary widely due to unique installation and environmental conditions
As equipment deteriorates, so does the AFUE

	ual Energ	y Sa	avings													
			_					Exis	sting AF	JE						
			55%		60%		65%		70%		75%		80%		85%	
	95%	\$	7,263	\$	5,826	\$	4,609	\$	3,567	\$	2,663	\$	1,873	\$	1,175	
	90%	\$	6,708	\$	5,271	\$	4.054	\$	3,012	\$	2,108	\$	1,318			
	85%	\$	6,088	\$	4,651	S	3,434	\$	2,392	5	1,488	S	698			
	80%	\$	5,391	\$	3,953	\$	2,737	s	1,694	\$	791	\$	-	1		
Mont	thly Ene	rgy S	avings										6	1	7)	
								Exis	sting AFI	JE		1				
			55%		60%		65%		70%		75%	1	80%	M	85%	1
	95%	\$	605	\$	485	\$	384	\$	297	S	222	\$	156	5	98	
	90%	\$	559	\$	439	\$	338	\$	251	S	176	5	110	3		
	85%	\$	507	\$	388	S	286	\$	199	\$	124	5	58	\$		
	80%	\$	449	\$	329	\$	228	\$	141	\$	66	\$				
	50,000	MB	TUH Heat	ing L	Jnit							-	1			
				-												
S	6.90	MCF	Rate												F	
\$	6.90 2750		Rate ual Opera	ating	Hours									V		
æ10	2750	Ann			Hours						(1		_		
	2750	Ann J Fu	ual Opera		Hours											
75,0	2750 00 BTU	Ann J Fu	rnace U					Exis	sting AFI	C DE					To the second	
75,0	2750 00 BTU ual Energ	Ann J Fu gy Sa	rnace U	nit	60%		65%		70%	,	75%		80%		85%	
75,0	2750 00 BTU ual Energ	Ann J Fu gy Sa S	rnace U svings 55% 10,895	nit \$	60% 8,738	s	6,914	5	70% 5,350	5	3,995	s	2,809	\$	85% 1,762	
5,0	2750 00 BTU ual Energ 95% 90%	Ann J Fu gy Sa S S	rnace U avings 55% 10,895 10,063	nit s s	60% 8,738 7,906	\$	6,914	5	70% 5,350 4,518	5	3,995 3,163	5	2,809 1,977	\$		
5,0	2750 00 BTU all Energ 95% 90% 85%	Ann J Fu gy Sa S S	rnace U avings 55% 10,895 10,063 9,132	nit s s s	60% 8,738 7,906 6,976	5	6,914 6,082 5,152	5	70% 5,350 4,518 3,588	555	3,995 3,163 2,232	\$	2,809		1,762	
5,0	2750 00 BTU ual Energ 95% 90%	Ann J Fu gy Sa S S	rnace U avings 55% 10,895 10,063 9,132	nit s s	60% 8,738 7,906	\$	6,914	5	70% 5,350 4,518	555	3,995 3,163	5	2,809 1,977	\$	1,762	
75,0	2750 00 BTU all Energ 95% 90% 85%	J Fu gy Sa S S S	rnace U avings 55% 10,895 10,063 9,132 8,086	nit s s s	60% 8,738 7,906 6,976	5	6,914 6,082 5,152	5555	70% 5,350 4,518 3,588 2,541	5555	3,995 3,163 2,232	\$	2,809 1,977 1,046	\$	1,762	
75,0	2750 00 BTU aal Energ 95% 90% 85% 80%	J Fu gy Sa S S S	rnace U avings 55% 10,895 10,063 9,132 8,086 savings	nit s s s	60% 8,738 7,906 6,976 5,930	5	6,914 6,082 5,152 4,105	5555	70% 5,350 4,518 3,588 2,541	5555	3,995 3,163 2,232 1,186	\$	2,809 1,977 1,046	\$	1,762	
'5,0	2750 00 BTU ual Energy 95% 90% 85% 80%	Ann J Fu S S S S S S S S S S S S S S S S S S S	rnace U avings 55% 10,895 10,063 9,132 8,086 savings	nit s s s s s	60% 8,738 7,906 6,976 5,930	5	6,914 6,082 5,152 4,105	SSS	70% 5,350 4,518 3,588 2,541 50%	S	3,995 3,163 2,232 1,186	s s	2,809 1,977 1,046	S	1,762	
'5,0	2750 00 BTU ual Energy 95% 85% 80% thly Energy	Ann J Fu S S S S S S S S S S S S S S S S S S S	rnace U avings 55% 10,895 10,063 9,132 8,086 savings	nit s s s s s s	60% 8,738 7,906 6,976 5,930	5	6,914 6,082 5,152 4,105	Exit	70% 5,350 4,518 3,588 2,541 70% 446	S S JE	3,995 3,163 2,232 1,186 75% 333	s	2,809 1,977 1,046 - 80% 234	\$ \$	1,762 - - 85% 147	
'5,0	2750 00 BTU ual Energy 95% 90% 85% 80% thly Energy	Ann J Fu S S S S S S S S S S S S S S S S S S S	rnace U avings 55% 10,895 10,063 9,132 8,086 savings 55% 908 839	nit	60% 8,738 7,906 6,976 5,930 60% 728	5	6,914 6,082 5,152 4,105 65% 576 507	Exis	70% 5,350 4,518 3,588 2,541 70% 446 376	SSSS	3,995 3,163 2,232 1,186 75% 333 264	5 5 5 5 5 5	2,809 1,977 1,046 - 80% 234 165	5 5 5	1,762 - - 85% 147	
75,0 Annu	2750 00 BTU ual Energy 95% 85% 80% thly Energy	Ann J Fu S S S S S S S S S S S S S S S S S S S	mace U avings 55% 10,895 10,063 9,132 8,086 savings 55% 908 839 761	nit s s s s s s	60% 8,738 7,906 6,976 5,930	5	6,914 6,082 5,152 4,105	Exit	70% 5,350 4,518 3,588 2,541 70% 446	S S JE	3,995 3,163 2,232 1,186 75% 333	s	2,809 1,977 1,046 - 80% 234	\$ \$	1,762 - - 85% 147	

Can vary widely due to unique installation and environmental conditions
As equipment deteriorates, so does the AFUE

Δnı	nual Energ	av S	avinas												
,	ilaai Elloi	9, 0	avingo					Exis	ting AF	JE					
			55%		60%		65%	-//	70%	_	75%		80%		85%
;	95%	\$		\$	11,651	\$	9,219	\$	7,133	\$	5,326	\$	3,745	\$	2.350
	90%		13,417	\$	10,542	\$	8,109	\$	6,024	\$	4,217	\$	2,635	•	_,
	85%		12,176	s	9,301	S	6,869	\$		5	2,976	\$	1,395		
8	80%	4.	10,781	\$	7,906		5,474	s	3,388	\$	1,581	s	.,,,,,,	1	
Mo	nthly Ene	rgy \$	Savings										6	1)
								Exis	ting AFI	JE		1			
1			55%		60%		65%		70%		75%	1	80%	M	85%
	95%	\$	1,211	\$	971	\$	768	\$	594	S	444	\$	312	\$	196
\$	90%	\$	1,118	\$	878	\$	676	\$	502	S	351	5	220	3	
	85%	\$	1,015	\$	775	\$	572	\$	399	\$	248	5	116	\$	
8.	80%	\$	898	\$	659	\$	456	\$	282	\$	132	\$	1		
	100,000	мв	TUH Heat	ing	Unit						1	-	1		
\$	6.90	MC	E Pate												
			Ivato							-				V	
120	2750 0,000 BT	Anr	nual Oper					5				1		_	
	A. 75	Anr U F	ual Oper											_	
Anı	0,000 BT	Anr U F	urnace		ti.		REAL	Exis	sting AFI) E	JEW.		80%		95%
Anı	0,000 BT	Anr U F	urnace avings	Unit	t 60%	•	55%		70%		75%		80%		85% 2.820
Anı	0,000 BT nual Energy 95%	Anr U F gy S	urnace avings	Unit	60% 13,982	\$ 9	11,062	3	70% 8,560	5	6,392	5.	4,494		2,820
Anı	0,000 BT nual Energy 95% 90%	Anr U F gy S	urnace avings 55% 17,432 16,100	Unit	60% 13,982 12,650	\$	9,731	5 5	70% 8,560 7,229	5	6,392 5,060	5	4,494 3,163	\$	2,820
Anı	0,000 BT nual Energy 95%	Anr U F gy S	urnace avings	Unit	60% 13,982		11,062	3	70% 8,560	555	6,392		4,494		2,820
Anı	95% 90% 85%	Anr U F gy S	furnace avings 55% 17,432 16,100 14,612 12,938	Unit	60% 13,982 12,650 11,162	\$	9,731 8,243	5555	70% 8,560 7,229 5,740 4,066	5 5 5	6,392 5,060 3,572	\$	4,494 3,163 1,674	\$	2,820
Ani	95% 90% 85% 80%	Anr U F gy S	furnace avings 55% 17,432 16,100 14,612 12,938 Savings	Unit	60% 13,982 12,650 11,162 9,488	\$	9,731 8,243 6,568	5555	70% 8,560 7,229 5,740 4,066	5 5 5	6,392 5,060 3,572 1,898	\$	4,494 3,163 1,674	\$	2,820
Ani	95% 90% 85% 80%	Anr U F	furnace avings 55% 17,432 16,100 14,612 12,938 Savings	Unit	60% 13,982 12,650 11,162 9,488	\$	11,062 9,731 8,243 6,568	Exis	70% 8,560 7,229 5,740 4,066 sting AFI 70%	S	6,392 5,060 3,572 1,898	s s	4,494 3,163 1,674	S	2,820
Ani	95% 90% 85% 80% nthly Ene	Anr U F	furnace avings 55% 17,432 16,100 14,612 12,938 Savings 55% 1,453	Unit	60% 13,982 12,650 11,162 9,488	\$	11,062 9,731 8,243 6,568 65% 922	Exis	70% 8,560 7,229 5,740 4,066 5ting AFI 70% 713	S	6,392 5,060 3,572 1,898 75% 533	\$ \$ \$	4,494 3,163 1,674 - 80% 375	\$ \$	2,820 - - - 85% 235
Ani	95% 90% 85% 80% nthly Ene	Anr U F s s s s s s s	furnace stayings 55% 17,432 16,100 14,612 12,938 Savings 55% 1,453 1,342	Unit	60% 13,982 12,650 11,162 9,488 60% .165	\$	9,731 8,243 6,568 65% 922 811	Exis	70% 8,560 7,229 5,740 4,066 70% 713 602	S	6,392 5,060 3,572 1,898 75% 533 422	5 5 5 5 5 5	4,494 3,163 1,674 - 80% 375 264	\$ \$	2,820 - - - 85% 235
Anı	95% 90% 85% 80% nthly Ene	Anr U F s s s s s s s s	furnace avings 55% 17,432 16,100 14,612 12,938 Savings 55% 1,453	Unit	60% 13,982 12,650 11,162 9,488	\$	11,062 9,731 8,243 6,568 65% 922	Exis	70% 8,560 7,229 5,740 4,066 5ting AFI 70% 713	S	6,392 5,060 3,572 1,898 75% 533	\$ \$ \$	4,494 3,163 1,674 - 80% 375	\$ \$	2,820 - - - 85% 235
Ani	95% 90% 85% 80% nthly Ene	Anr U F gy S S S S S S S S S S S S S S S S S S S	furnace avings 55% 17,432 16,100 14,612 12,938 Savings 55% 1,453 1,342 1,218 1,078	Unit ssss	60% 13,982 12,650 11,162 9,488 .165 1,054 980 791	555	11 062 9 731 8 243 6 568 65% 922 811 687	Exis	70% 8,560 7,229 5,740 4,066 70% 713 602 478	S S S	6,392 5,060 3,572 1,898 75% 533 422 298	555	4,494 3,163 1,674 - 80% 375 264	\$ \$	2,820 - - - 85% 235
Ani	95% 90% 85% 80% nthly Ene 95% 80% 120,000	Anr U F S S S S S S S S S S S S S S S S S S S	furnace strongs 55% 17,432 16,100 14,612 12,938 5avings 55% 1,453 1,342 1,218	Unit ssss	60% 13,982 12,650 11,162 9,488 .165 1,054 980 791	555	11 062 9 731 8 243 6 568 65% 922 811 687	Exis	70% 8,560 7,229 5,740 4,066 70% 713 602 478	S S S	6,392 5,060 3,572 1,898 75% 533 422 298	555	4,494 3,163 1,674 - 80% 375 264	\$ \$	2,820 - - - 85% 235

All Equipment Brands Installation Price Book

Go ahead and Get Success Today!

\$50_.00 Mo. **Subscription**

Contractor Benefits

- Improves Customer **Satisfaction**
- Enables you to charge a fair
- Recover investment on the first call
- Provides sales with installation notes to prevent pricing errors
- No data base maintenance required
- Print as many books as you like right on your PC
- Simple 1-page set-up
- Unlimited updates

Selling Benefits

- Provides a professional sales call handling process
- Provides upfront installation pricing explanations
- Provides authoritative national pricing standards
- Eliminates spelling errors
- Eliminates math errors
- Eliminates writers block
- Provides sales reps an opportunity to be rewarded for speed and efficiency

We agree that flat rate pricing programs provided by other industry trade groups give their customers a huge competitive advantage....


But...you do not need to go down any of these expensive paths SPENDING THOUSANDS to get success.

Best practice consumer presentation to help you close more by explaining



- the lowest possible price.
- Why your Company has to set the standard of performance in the area.
- 5. What the customer can expect before, during, and post installation.

Pricing, Payment, & Energy Savings Tables



- Provide your Selling Techs and Comfort Advisors with Flat Rate "Upfront" Installation Price Books.
- Use the built-in Finance Tables to identify affordability.
- Use the built-in Energy Saving tables to identify customer savings.
- Use the Investment Option Worksheet to itemize installation and add/deducts to derive at the net cost to homeowner.



Home Comfort Set-Up and Order Entry Form

To set-up your book's pricing, simply enter the minimum pricing information in the 4 gray highlighted cells. Other pricing cells defaults to industry averages. See product user guide for details on how price books are made. Twelve month from date of submission, subscription price includes unlimited customer updates, equipment cost updates, and authorization to print as many books as needed. **Please carefully print your information.**

	Items in shaded area are the minimum data required to obtain flat rate price book												
Ins	tallation Labor	Industry Average	Actual	Uti	lity Rates	Industry Average	Actual						
1	Crew Chief Labor Rate:			16	Electric Utility Rate KWH:	\$0.14							
2	Helper Labor Rate:			17	Gas Utility Rate per Therm:	\$1.20							
Veh	icle/ Miscellaneous	Industry Average	Actual	18	Propane per Gallons:	\$3.28							
3	Materials Sales Tax %::	6.50%		19	Oil per Gallon:	\$2.83							
4	Average miles round trip:	15		Ор	erating Hours	Industry Average	Actual						
5	Travel Cost Per Mile:	\$0.50		20	Annual Heating Operating Hrs:	2750							
6	Hourly Truck Charge:	\$4.80		21	Annual Cooling Operating Hrs:	700							
7	Risk/Proficiency/Warranty %:	4.00%		Fin	ance Rates	Industry Average	Actual						
Ge	othermal Well Subcontractor	Ac	tual	22	Home Equity Loan Rate %:	2.99%							
8	Geothermal Well Subcontract 1.5 ton			23	Local Bank Loan Rate %:	3.13%							
9	Geothermal Well Subcontract 2 ton			24	6 Months same as cash rate:	4.20%							
10	Geothermal Well Subcontract 2.5 ton			25	12 Months same as cash rate:	6.80%							
11	Geothermal Well Subcontract 3 ton			26	18 Months same as cash rate:	10.65%							
12	Geothermal Well Subcontract 3.5 ton			Gro	oss Profit Margin	Industry Average	Actual						
13	Geothermal Well Subcontract 4 ton			27	Installation Dept Overhead %:	25%							
14	Geothermal Well Subcontract 5 ton			28	Sales Commission % of Sales:	8%							
Ge	othermal Elect Subcontractor	Ac	tual	29	Net Profit Before Taxes %:	12%							
15	Geothermal Elect Subcontract			30	Total of 8+9+10 = GPM %:	45%							
You	r Name: (as it appears on Credit Card)												
Con	npany:			Pho	one:								
Add	ress:			Em	ail:								
	Please carefully print Email address. Upon ord set-up your price book's Good-Better-Best-Pl Questions? Please call our F	remium match	-ups. Price B	ook is		oat Reader F							
City	:	9	State:		Postal/Zip:								
	Credit Card #												
Sign	nature:		FN	JTF	R FOUIPMENT BRAND	HFRF.							

